



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'pthread_attr_getsigmask_np.3'

\$ man pthread_attr_getsigmask_np.3

PTHREAD_ATTR_SETSIGMASK_NP(Linux Programmer's ManPTHREAD_ATTR_SETSIGMASK_NP(3)

NAME

pthread_attr_setsigmask_np, pthread_attr_getsigmask_np - set/get signal mask attribute in thread attributes object

SYNOPSIS

```
#define _GNU_SOURCE      /* See feature_test_macros(7) */
#include <pthread.h>

int pthread_attr_setsigmask_np(pthread_attr_t *attr,
                               const sigset_t *sigmask);

int pthread_attr_getsigmask_np(const pthread_attr_t *attr,
                               sigset_t *sigmask);
```

Compile and link with -pthread.

DESCRIPTION

The pthread_attr_setsigmask_np() function sets the signal mask attribute of the thread attributes object referred to by attr to the value specified in *sigmask. If sigmask is specified as NULL, then any existing signal mask attribute in attr is unset.

The pthread_attr_getsigmask_np() function returns the signal mask at?

tribute of the thread attributes object referred to by attr in the buf? fer pointed to by sigmask. If the signal mask attribute is currently unset, then this function returns the special value PTHREAD_ATTR_NO_SIGMASK_NP as its result.

RETURN VALUE

The pthread_attr_setsigmask_np() function returns 0 on success, or a nonzero error number on failure.

the pthread_attr_getsigmask_np() function returns either 0 or PTHREAD_ATTR_NO_SIGMASK_NP. When 0 is returned, the signal mask attribute is returned via sigmask. A return value of PTHREAD_ATTR_NO_SIGMASK_NP indicates that the signal mask attribute is not set in attr.

On error, these functions return a positive error number.

ERRORS

ENOMEM (pthread_attr_setsigmask_np()) Could not allocate memory.

VERSIONS

These functions are provided by glibc since version 2.32.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?pthread_attr_setsigmask_np(), ? Thread safety ? MT-Safe ?

?pthread_attr_getsigmask_np() ? ? ?

??

CONFORMING TO

These functions are nonstandard GNU extensions; hence the suffix "_np" (nonportable) in the names.

NOTES

The signal mask attribute determines the signal mask that will be assigned to a thread created using the thread attributes object attr. If this attribute is not set, then a thread created using attr will inherit a copy of the creating thread's signal mask.

For more details on signal masks, see `sigprocmask(2)`. For a description of a set of macros that can be used to manipulate and inspect signal sets, see `sigsetops(3)`.

In the absence of `pthread_attr_setsigmask_np()` it is possible to create a thread with a desired signal mask as follows:

? The creating thread uses `pthread_sigmask(3)` to save its current signal mask and set its mask to block all signals.

? The new thread is then created using `pthread_create()`; the new thread will inherit the creating thread's signal mask.

? The new thread sets its signal mask to the desired value using `pthread_sigmask(3)`.

? The creating thread restores its signal mask to the original value.

Following the above steps, there is no possibility for the new thread to receive a signal before it has adjusted its signal mask to the desired value.

SEE ALSO

`sigprocmask(2)`, `pthread_attr_init(3)`, `pthread_sigmask(3)`, `pthreads(7)`, `signals(7)`

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

Linux 2020-11-01 PTHREAD_ATTR_SETSIGMASK_NP(3)