



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'sane-abaton.5'***

#### ***\$ man sane-abaton.5***

sane-abaton(5) SANE Scanner Access Now Easy sane-abaton(5)

#### NAME

sane-abaton - SANE backend for Abaton flatbed scanners

#### DESCRIPTION

The sane-abaton library implements a SANE (Scanner Access Now Easy) backend that provides access to Abaton flatbed scanners. At present, only the Scan 300/GS (8bit, 256 levels of gray) is fully supported, due to the absence of programming information. The Scan 300/S (black and white) is recognized, but support for it is untested.

If you own a Abaton scanner other than the ones listed above that works with this backend, or if you own an Abaton scanner that does not work with this backend, please contact sane-devel@alioth-lists.debian.net with the model number, so that arrangements can be made to include support for it. Have a look at <http://www.sane-project.org/mail?ing-lists.html> concerning subscription to sane-devel.

Abaton is out of business, and these scanners are not supported by Ev? erex (the parent company of Abaton), nor is there any programming information to be found. This driver is therefore based on information

obtained by running Abaton's scanning desk accessory under MacsBug and tracing the MacOS SCSI Manager calls it made during image acquisition. However, the protocol is very similar to, though not compatible with, the one used by the Apple scanners, therefore, if this backend is ever extended to support the other Abaton models (they also made a color flatbed scanner), it may be possible to fill in some "missing pieces" from the (quite detailed) Apple scanner documentation.

## DEVICE NAMES

This backend expects device names of the form:

special

Where special is the path-name for the special device that corresponds to a SCSI scanner. For SCSI scanners, the special device name must be a generic SCSI device or a symlink to such a device. Under Linux, such a device name takes a format such as /dev/sga or /dev/sg0, for example.

See sane-scsi(5) for details.

## CONFIGURATION

The contents of the abaton.conf file is a list of device names that correspond to Abaton scanners. Empty lines and lines starting with a hash mark (#) are ignored. See sane-scsi(5) on details of what constitutes a valid device name.

## FILES

/etc/sane.d/abaton.conf

The backend configuration file (see also description of SANE\_CONFIG\_DIR below).

/usr/lib64/sane/libsane-abaton.a

The static library implementing this backend.

/usr/lib64/sane/libsane-abaton.so

The shared library implementing this backend (present on systems that support dynamic loading).

## ENVIRONMENT

SANE\_CONFIG\_DIR

This environment variable specifies the list of directories that may contain the configuration file. Under UNIX, the directories

are separated by a colon (':'), under OS/2, they are separated by a semi-colon (';'). If this variable is not set, the configuration file is searched in two default directories: first, the current working directory (".") and then in /etc/sane.d. If the value of the environment variable ends with the directory separator character, then the default directories are searched after the explicitly specified directories. For example, setting SANE\_CONFIG\_DIR to "/tmp/config:" would result in directories tmp/config, ., and /etc/sane.d being searched (in this order).

#### SANE\_DEBUG\_ABATON

If the library was compiled with debug support enabled, this environment variable controls the debug level for this backend. E.g., a value of 255 requests all debug output to be printed. Smaller levels reduce verbosity.

#### BUGS

There are a few known ones, and definitely some unknown ones.

##### Scan area miscalculations

For the sake of programmer efficiency, this backend handles all measurements in millimetres, and floors (rather than rounds) values to avoid possible damage to the scanner mechanism. Therefore, it may not be possible to scan to the extreme right or bottom edges of the page.

##### Cancelling the scan

This might not work correctly, or it might abort the frontend.

The former is more likely than the latter.

If you have found something that you think is a bug, please attempt to recreate it with the SANE\_DEBUG\_ABATON environment variable set to 255, and send a report detailing the conditions surrounding the bug to sane-devel@alioth-lists.debian.net.

#### TODO

Implement non-blocking support

Finish reverse-engineering the MacOS driver

This will allow me to add support for other models with reason?

able confidence that it will work, as well as to fully exploit  
the information returned by the INQUIRY command.

#### SEE ALSO

sane(7), sane-scsi(5), scanimage(1)

#### AUTHOR

The sane-abaton backend was partially written by David Huggins-Daines,  
based on the sane-apple(5) backend by Milon Firkis.

11 Jul 2008

sane-abaton(5)