



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'scsi\_stop.8'***

***\$ man scsi\_stop.8***

SCSI\_STOP(8)                    SG3\_UTILS                    SCSI\_STOP(8)

NAME

scsi\_stop - stop (spin down) one or more SCSI disks

SYNOPSIS

scsi\_stop [--help] [--verbose] [--wait] DEVICE [DEVICE]\*

DESCRIPTION

This bash shell script calls the sg\_start utility on each given DEVICE.

The purpose is to spin down (stop) each given DEVICE.

OPTIONS

Arguments to long options are mandatory for short options as well.

-h, --help

print out the usage message then exit.

-v, --verbose

increase level or verbosity.

-w, --wait

wait for the spin down (stop) on each given DEVICE to complete.

The default action is to do each stop in immediate mode.

NOTES

The `sg_start` utility calls the SCSI START STOP UNIT command and can either start (spin up) or stop (spin down) a SCSI disk depending on the given command line options.

#### EXIT STATUS

The `exit` status of this script is 0 when it is successful. Otherwise the exit status is that of the last `sg_start` utility called. See the `sg3_utils(8)` man page.

#### AUTHORS

Written by D. Gilbert

#### COPYRIGHT

Copyright ? 2009-2013 Douglas Gilbert

This software is distributed under a FreeBSD license. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

#### SEE ALSO

`sg_start` (`sg3_utils`)

`sg3_utils-1.36`

May 2013

`SCSI_STOP(8)`