



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'sem_init.3'

\$ man sem_init.3

SEM_INIT(3) Linux Programmer's Manual SEM_INIT(3)

NAME

sem_init - initialize an unnamed semaphore

SYNOPSIS

```
#include <semaphore.h>
```

```
int sem_init(sem_t *sem, int pshared, unsigned int value);
```

Link with -pthread.

DESCRIPTION

sem_init() initializes the unnamed semaphore at the address pointed to by sem. The value argument specifies the initial value for the semaphore.

The pshared argument indicates whether this semaphore is to be shared between the threads of a process, or between processes.

If pshared has the value 0, then the semaphore is shared between the threads of a process, and should be located at some address that is visible to all threads (e.g., a global variable, or a variable allocated dynamically on the heap).

If pshared is nonzero, then the semaphore is shared between processes,

and should be located in a region of shared memory (see `shm_open(3)`, `mmap(2)`, and `shmget(2)`). (Since a child created by `fork(2)` inherits its parent's memory mappings, it can also access the semaphore.) Any process that can access the shared memory region can operate on the semaphore using `sem_post(3)`, `sem_wait(3)`, and so on.

Initializing a semaphore that has already been initialized results in undefined behavior.

RETURN VALUE

`sem_init()` returns 0 on success; on error, -1 is returned, and `errno` is set to indicate the error.

ERRORS

EINVAL value exceeds `SEM_VALUE_MAX`.

ENOSYS `pshared` is nonzero, but the system does not support process-shared semaphores (see `sem_overview(7)`).

ATTRIBUTES

For an explanation of the terms used in this section, see `attributes(7)`.

??

?Interface ? Attribute ? Value ?

??

?`sem_init()` ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001.

NOTES

Bizarrely, POSIX.1-2001 does not specify the value that should be returned by a successful call to `sem_init()`. POSIX.1-2008 rectifies this, specifying the zero return on success.

EXAMPLES

See `shm_open(3)` and `sem_wait(3)`.

SEE ALSO

`sem_destroy(3)`, `sem_post(3)`, `sem_wait(3)`, `sem_overview(7)`

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

Linux

2020-08-13

SEM_INIT(3)