



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'sestatus.8'***

#### ***\$ man sestatus.8***

sestatus(8) SELinux command line documentation sestatus(8)

#### NAME

sestatus - SELinux status tool

#### SYNOPSIS

sestatus [-v] [-b]

This tool is used to get the status of a system running SELinux.

#### DESCRIPTION

This manual page describes the sestatus program.

This tool is used to get the status of a system running SELinux. It displays data about whether SELinux is enabled or disabled, location of key directories, and the loaded policy with its status as shown in the example:

```
> sestatus
```

```
SELinux status:      enabled
SELinuxfs mount:    /selinux
SELinux root directory: /etc/selinux
Loaded policy name:  targeted
Current mode:       permissive
```

Mode from config file: enforcing  
Policy MLS status: enabled  
Policy deny\_unknown status: allow  
Memory protection checking: actual (secure)  
Max kernel policy version: 26

sestatus can also be used to display:

- The security context of files and processes listed in the /etc/sestatus.conf file. The format of this file is described in sestatus.conf(5).
- The status of booleans.

## OPTIONS

-v

Displays the contexts of files and processes listed in the /etc/sestatus.conf file. It also checks whether the file is a symbolic link, if so then the context of the target file is also shown.

The following contexts will always be displayed:

- The current process context
- The init process context
- The controlling terminal file context

-b

Display the current state of booleans.

## FILES

/etc/sestatus.conf

## AUTHOR

This man page was written by Daniel Walsh <dwalsh@redhat.com>.

The program was written by Chris PeBenito <pebenito@gentoo.org>

## SEE ALSO

selinux(8), sestatus.conf(5)

Security Enhanced Linux      26 Nov 2011      sestatus(8)