

Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'slabtop.1'

\$ man slabtop.1

SLABTOP(1)

User Commands

SLABTOP(1)

NAME

slabtop - display kernel slab cache information in real time

SYNOPSIS

slabtop [options]

DESCRIPTION

slabtop displays detailed kernel slab cache information in real time.

It displays a listing of the top caches sorted by one of the listed sort criteria. It also displays a statistics header filled with slab layer information.

OPTIONS

Normal invocation of slabtop does not require any options. The behav? ior, however, can be fine-tuned by specifying one or more of the fol? lowing flags:

-d, --delay=N

Refresh the display every n in seconds. By default, slabtop re? freshes the display every three seconds. To exit the program, hit q.

Page 1/3

-s, --sort=S

Sort by S, where S is one of the sort criteria.

-o, --once

Display the output once and then exit.

-V, --version

Display version information and exit.

-h, --help

Display usage information and exit.

SORT CRITERIA

The following are valid sort criteria used to sort the individual slab caches and thereby determine what are the "top" slab caches to display.

The default sort criteria is to sort by the number of objects ("o").

The sort criteria can also be changed while slabtop is running by pressing the associated character.

character description header

a number of active objects ACTIVE

b objects per slab OBJ/SLAB

c cache size CACHE SIZE

I number of slabs SLABS

v number of active slabs N/A

n name NAME

o number of objects OBJS

p pages per slab N/A

s object size OBJ SIZE

u cache utilization USE

COMMANDS

slabtop accepts keyboard commands from the user during use. The fol? lowing are supported. In the case of letters, both cases are accepted. Each of the valid sort characters are also accepted, to change the sort routine. See the section SORT CRITERIA.

<SPACEBAR>

Refresh the screen.

Q Quit the program.

FILES

/proc/slabinfo

slab information

SEE ALSO

free(1), ps(1), top(1), vmstat(8)

NOTES

Currently, slabtop requires a 2.4 or later kernel (specifically, a ver? sion 1.1 or later /proc/slabinfo). Kernel 2.2 should be supported in the future.

The slabtop statistic header is tracking how many bytes of slabs are being used and is not a measure of physical memory. The 'Slab' field in the /proc/meminfo file is tracking information about used slab phys? ical memory.

AUTHORS

Written by Chris Rivera and Robert Love.

slabtop was inspired by Martin Bligh's perl script, vmtop.

REPORTING BUGS

Please send bug reports to ?procps@freelists.org?

procps-ng June 2011 SLABTOP(1)