

?Interface ? Attribute ? Value ?

??

?strtol(), strtoll(), strtouq() ? Thread safety ? MT-Safe locale ?

??

CONFORMING TO

strtol(): POSIX.1-2001, POSIX.1-2008, C89, C99 SVr4.

strtoll(): POSIX.1-2001, POSIX.1-2008, C99.

NOTES

Since strtol() can legitimately return 0 or ULONG_MAX (ULLONG_MAX for strtoll()) on both success and failure, the calling program should set errno to 0 before the call, and then determine if an error occurred by checking whether errno has a nonzero value after the call.

In locales other than the "C" locale, other strings may be accepted.

(For example, the thousands separator of the current locale may be supported.)

BSD also has

```
u_quad_t strtouq(const char *nptr, char **endptr, int base);
```

with completely analogous definition. Depending on the wordsize of the current architecture, this may be equivalent to strtoll() or to strtoul().

Negative values are considered valid input and are silently converted to the equivalent unsigned long value.

EXAMPLES

See the example on the strtol(3) manual page; the use of the functions described in this manual page is similar.

SEE ALSO

a64l(3), atof(3), atoi(3), atol(3), strtod(3), strtol(3), strtoumax(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.