



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'systemd-quotacheck.service.8'

\$ man systemd-quotacheck.service.8

SYSTEMD-QUOTACHECK.SERVICEsystemd-quotacheck.servSYSTEMD-QUOTACHECK.SERVICE(8)

NAME

systemd-quotacheck.service, systemd-quotacheck - File system quota checker logic

SYNOPSIS

systemd-quotacheck.service
/usr/lib/systemd/systemd-quotacheck

DESCRIPTION

systemd-quotacheck.service is a service responsible for file system quota checks. It is run once at boot after all necessary file systems are mounted. It is pulled in only if at least one file system has quotas enabled.

KERNEL COMMAND LINE

systemd-quotacheck understands one kernel command line parameter:

quotacheck.mode=

One of "auto", "force", "skip". Controls the mode of operation. The default is "auto", and ensures that file system quota checks are done when the file system quota checker deems them necessary.

"force" unconditionally results in full file system quota checks.

"skip" skips any file system quota checks.

SEE ALSO

systemd(1), quotacheck(8), systemd-fsck@.service(8)

systemd 252

SYSTEMD-QUOTACHECK.SERVICE(8)