



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'tc-connmark.8'***

#### ***\$ man tc-connmark.8***

Connmark retriever action in tc(8) Linux Connmark retriever action in tc(8)

#### NAME

connmark - netfilter connmark retriever action

#### SYNOPSIS

```
tc ... action connmark [ zone u16_zone_index ] [ CONTROL ] [ index  
u32_index ]
```

CONTROL := { reclassify | pipe | drop | continue | ok }

#### DESCRIPTION

The connmark action is used to restore the connection's mark value into the packet's fwmark.

#### OPTIONS

zone u16\_zone\_index

Specify the conntrack zone when doing conntrack lookups for packets. u16\_zone\_index is a 16bit unsigned decimal value.

#### CONTROL

How to continue after executing this action.

reclassify

Restarts classification by jumping back to the first filter?

ter attached to this action's parent.

pipe Continue with the next action, this is the default.

drop

shot Packet will be dropped without running further actions.

continue

Continue classification with next filter in line.

pass Return to calling qdisc for packet processing. This ends the classification process.

index u32\_index

Specify an index for this action in order to be able to identify it in later commands. u32\_index is a 32bit unsigned decimal value.

SEE ALSO

tc(8)

iproute2

11 Jan 2011 Connmark retriever action in tc(8)