



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'towctrans.3'

\$ man towctrans.3

TOWCTRANS(3) Linux Programmer's Manual TOWCTRANS(3)

NAME

towctrans - wide-character transliteration

SYNOPSIS

```
#include <wctype.h>

wint_t towctrans(wint_t wc, wctrans_t desc);
```

DESCRIPTION

If `wc` is a wide character, the `towctrans()` function translates it according to the transliteration descriptor `desc`. If `wc` is `WEOF`, `WEOF` is returned.

`desc` must be a transliteration descriptor returned by the `wctrans(3)` function.

RETURN VALUE

The `towctrans()` function returns the translated wide character, or `WEOF` if `wc` is `WEOF`.

ATTRIBUTES

For an explanation of the terms used in this section, see `attributes(7)`.

??

?Interface ? Attribute ? Value ?

??

?towctrans() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C99.

NOTES

The behavior of towctrans() depends on the LC_CTYPE category of the current locale.

SEE ALSO

towlower(3), towupper(3), wctrans(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.