



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'uts_namespaces.7'

\$ man uts_namespaces.7

UTS_NAMESPACES(7) Linux Programmer's Manual UTS_NAMESPACES(7)

NAME

uts_namespaces - overview of Linux UTS namespaces

DESCRIPTION

UTS namespaces provide isolation of two system identifiers: the host name and the NIS domain name. These identifiers are set using `sethostname(2)` and `setdomainname(2)`, and can be retrieved using `uname(2)`, `gethostname(2)`, and `getdomainname(2)`. Changes made to these identifiers are visible to all other processes in the same UTS namespace, but are not visible to processes in other UTS namespaces.

When a process creates a new UTS namespace using `clone(2)` or `unshare(2)` with the `CLONE_NEWUTS` flag, the `hostname` and `domain` of the new UTS namespace are copied from the corresponding values in the caller's UTS namespace.

Use of UTS namespaces requires a kernel that is configured with the `CONFIG_UTS_NS` option.

SEE ALSO

`nsenter(1)`, `unshare(1)`, `clone(2)`, `getdomainname(2)`, `gethostname(2)`,

setns(2), uname(2), unshare(2), namespaces(7)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

Linux 2019-11-19 UTS_NAMESPACES(7)