



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'wcscat.3'***

**\$ man wcscat.3**

WCSCAT(3)                   Linux Programmer's Manual                   WCSCAT(3)

#### NAME

wcscat - concatenate two wide-character strings

#### SYNOPSIS

```
#include <wchar.h>

wchar_t *wcscat(wchar_t *dest, const wchar_t *src);
```

#### DESCRIPTION

The wcscat() function is the wide-character equivalent of the strcat(3) function. It copies the wide-character string pointed to by src, including the terminating null wide character (L'\0'), to the end of the wide-character string pointed to by dest.

The strings may not overlap.

The programmer must ensure that there is room for at least wcslen(dest)+wcslen(src)+1 wide characters at dest.

#### RETURN VALUE

wcscat() returns dest.

#### ATTRIBUTES

For an explanation of the terms used in this section, see at?

tributes(7).

??

?Interface ? Attribute ? Value ?

??

?wscat() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C99.

SEE ALSO

strcat(3), wpcpy(3), wcscpy(3), wcsncat(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU 2019-03-06 WCSCAT(3)