



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'wcssp.3'

\$ man wcssp.3

WCSSPN(3) Linux Programmer's Manual WCSSPN(3)

NAME

wcssp - advance in a wide-character string, skipping any of a set of wide characters

SYNOPSIS

```
#include <wchar.h>

size_t wcssp(const wchar_t *wcs, const wchar_t *accept);
```

DESCRIPTION

The wcssp() function is the wide-character equivalent of the strspn(3) function. It determines the length of the longest initial segment of wcs which consists entirely of wide-characters listed in accept. In other words, it searches for the first occurrence in the wide-character string wcs of a wide-character not contained in the wide-character string accept.

RETURN VALUE

The wcssp() function returns the number of wide characters in the longest initial segment of wcs which consists entirely of wide-characters listed in accept. In other words, it returns the position of the

first occurrence in the wide-character string wcs of a wide-character not contained in the wide-character string accept, or wcslen(wcs) if there is none.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?wcssp() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C99.

SEE ALSO

strspn(3), wcscspn(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU 2015-08-08 WCSSPN(3)