



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'xdpyinfo.1'

\$ man xdpyinfo.1

XDPYINFO(1) General Commands Manual XDPYINFO(1)

NAME

xdpyinfo - display information utility for X

SYNOPSIS

xdpyinfo [-display displayname] [-queryExtensions] [-ext extension-name] [-version]

DESCRIPTION

Xdpyinfo is a utility for displaying information about an X server. It is used to examine the capabilities of a server, the predefined values for various parameters used in communicating between clients and the server, and the different types of screens and visuals that are available.

By default, numeric information (opcode, base event, base error) about protocol extensions is not displayed. This information can be obtained with the -queryExtensions option. Use of this option on servers that dynamically load extensions will likely cause all possible extensions to be loaded, which can be slow and can consume significant server resources.

Detailed information about a particular extension is displayed with the `-ext extensionName` option. If `extensionName` is `all`, information about all extensions supported by both `xdpinfo` and the server is displayed. If `-version` is specified, `xdpinfo` prints its version and exits, without contacting the X server.

ENVIRONMENT

`DISPLAY` To get the default host, display number, and screen.

SEE ALSO

`X(7)`, `xprop(1)`, `xrdb(1)`, `xwininfo(1)`, `xrandr(1)`, `xdriinfo(1)`, `xv?info(1)`, `glxinfo(1)`

AUTHOR

Jim Fulton, MIT X Consortium

Support for the `XFree86-VidModeExtension`, `XFree86-DGA`, `XFree86-Misc`, and `XKB` extensions added by Joe Moss

X Version 11

`xdpinfo` 1.3.2

`XDPIINFO(1)`