



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'xfs_bmap.8'

\$ man xfs_bmap.8

xfs_bmap(8) System Manager's Manual xfs_bmap(8)

NAME

xfs_bmap - print block mapping for an XFS file

SYNOPSIS

xfs_bmap [-adelpv] [-n num_extents] file

xfs_bmap -V

DESCRIPTION

xfs_bmap prints the map of disk blocks used by files in an XFS filesystem. The map lists each extent used by the file, as well as regions in the file that do not have any corresponding blocks (holes). Each line of the listings takes the following form:

extent: [startoffset..endoffset]: startblock..endblock

Holes are marked by replacing the startblock..endblock with hole. All

the file offsets and disk blocks are in units of 512-byte blocks, no matter what the filesystem's block size is.

OPTIONS

- a If this option is specified, information about the file's attribute fork is printed instead of the default data fork.

- e If this option is used, xfs_bmap obtains all delayed allocation extents, and does not flush dirty pages to disk before querying extent data. With the -v option, the flags column will show which extents have not yet been allocated.

- l If this option is used, then

 <nblocks> blocks

will be appended to each line. nblocks is the length of the extent described on the line in units of 512-byte blocks.

This flag has no effect if the -v option is used.

- n num_extents

If this option is given, xfs_bmap will display at most num_extents extents. In the absence of -n, xfs_bmap will display all extents in the file.

- p If this option is used, xfs_bmap obtains all unwritten (preallocated) extents that do not contain written data. With the -v option, the flags column will show which extents are preallocated/unwritten.

- v Shows verbose information. When this flag is specified, additional AG specific information is appended to each line in the

following form:

agno (startagoffset..endagoffset) nblocks flags

A second -v option will print out the flags legend.

-V Prints the version number and exits.

SEE ALSO

xfs_fsr(8), xfs(5).

xfs_bmap(8)