



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'xmllint.1'***

**\$ man xmllint.1**

XMLLINT(1)                    xmllint Manual                    XMLLINT(1)

NAME

xmllint - command line XML tool

SYNOPSIS

```
xmllint [--version | --debug | --shell | --xpath "XPath_expression" |
--debugent | --copy | --recover | --noent | --noout | --nonet |
--path "PATH(S)" | --load-trace | --htmlout | --nowrap |
--valid | --postvalid | --dtdvalid URL | --dtdvalidfpi FPI |
--timing | --output FILE | --repeat | --insert | --compress |
--html | --xmlout | --push | --memory | --maxmem NBYTES |
--nowarning | --noblanks | --nocdata | --format |
--encode ENCODING | --dropdtd | --nsclean | --testIO |
--catalogs | --nocatalogs | --auto | --xinclud |
--noxincludenode | --loaddtd | --dtdattr | --stream | --walker
| --pattern PATTERNVALUE | --chkregister | --relaxng SCHEMA |
--schema SCHEMA | --c14n] {XML-FILE(S)... | -}
```

xmllint --help

DESCRIPTION

The xmllint program parses one or more XML files, specified on the command line as XML-FILE (or the standard input if the filename provided is - ). It prints various types of output, depending upon the options selected. It is useful for detecting errors both in XML code and in the XML parser itself.

xmllint is included in libxml(3).

## OPTIONS

xmllint accepts the following options (in alphabetical order):

--auto

Generate a small document for testing purposes.

--catalogs

Use the SGML catalog(s) from SGML\_CATALOG\_FILES. Otherwise XML catalogs starting from /etc/xml/catalog are used by default.

--chkregister

Turn on node registration. Useful for developers testing libxml(3) node tracking code.

--compress

Turn on gzip(1) compression of output.

--copy

Test the internal copy implementation.

--c14n

Use the W3C XML Canonicalisation (C14N) to serialize the result of parsing to stdout. It keeps comments in the result.

--dtdvalid URL

Use the DTD specified by an URL for validation.

--dtdvalidfpi FPI

Use the DTD specified by a Formal Public Identifier FPI for validation, note that this will require a catalog exporting that Formal Public Identifier to work.

--debug

Parse a file and output an annotated tree of the in-memory version of the document.

--debugent

Debug the entities defined in the document.

--dropdtd  
Remove DTD from output.

--dtdattr  
Fetch external DTD and populate the tree with inherited attributes.

--encode ENCODING  
Output in the given encoding. Note that this works for full document not fragments or result from XPath queries.

--format  
Reformat and reindent the output. The XMLELINT\_INDENT environment variable controls the indentation. The default value is two spaces " ").

--help  
Print out a short usage summary for xmllint.

--html  
Use the HTML parser.

--htmlout  
Output results as an HTML file. This causes xmllint to output the necessary HTML tags surrounding the result tree output so the results can be displayed/viewed in a browser.

--insert  
Test for valid insertions.

--loaddtd  
Fetch an external DTD.

--load-trace  
Display all the documents loaded during the processing to stderr.

--maxmem NNBYTES  
Test the parser memory support. NNBYTES is the maximum number of bytes the library is allowed to allocate. This can also be used to make sure batch processing of XML files will not exhaust the virtual memory of the server running them.

--memory  
Parse from memory.

--noblanks

Drop ignorable blank spaces.

--nocatalogs

Do not use any catalogs.

--nocdata

Substitute CDATA section by equivalent text nodes.

--noent

Substitute entity values for entity references. By default, xmllint leaves entity references in place.

--nonet

Do not use the Internet to fetch DTDs or entities.

--noout

Suppress output. By default, xmllint outputs the result tree.

--nowarning

Do not emit warnings from the parser and/or validator.

--nowrap

Do not output HTML doc wrapper.

--noxincludenode

Do XInclude processing but do not generate XInclude start and end nodes.

--nsclean

Remove redundant namespace declarations.

--output FILE

Define a file path where xmllint will save the result of parsing.

Usually the programs build a tree and save it on stdout, with this option the result XML instance will be saved onto a file.

--path "PATH(S)"

Use the (space- or colon-separated) list of filesystem paths specified by PATHS to load DTDs or entities. Enclose space-separated lists by quotation marks.

--pattern PATTERNVALUE

Used to exercise the pattern recognition engine, which can be used with the reader interface to the parser. It allows to select some

nodes in the document based on an XPath (subset) expression. Used for debugging.

--postvalid

Validate after parsing has completed.

--push

Use the push mode of the parser.

--recover

Output any parsable portions of an invalid document.

--relaxng SCHEMA

Use RelaxNG file named SCHEMA for validation.

--repeat

Repeat 100 times, for timing or profiling.

--schema SCHEMA

Use a W3C XML Schema file named SCHEMA for validation.

--shell

Run a navigating shell. Details on available commands in shell mode are below (see the section called ?SHELL COMMANDS?).

--xpath "XPath\_expression"

Run an XPath expression given as argument and print the result. In case of a nodeset result, each node in the node set is serialized in full in the output. In case of an empty node set the "XPath set is empty" result will be shown and an error exit code will be returned.

--stream

Use streaming API - useful when used in combination with --relaxng or --valid options for validation of files that are too large to be held in memory.

--testIO

Test user input/output support.

--timing

Output information about the time it takes xmllint to perform the various steps.

--valid

Determine if the document is a valid instance of the included Document Type Definition (DTD). A DTD to be validated against also can be specified at the command line using the `--dtdvalid` option.

By default, `xmllint` also checks to determine if the document is well-formed.

`--version`

Display the version of `libxml(3)` used.

`--walker`

Test the walker module, which is a reader interface but for a document tree, instead of using the reader API on an unparsed document it works on an existing in-memory tree. Used for debugging.

`--xinclude`

Do XInclude processing.

`--xmlout`

Used in conjunction with `--html`. Usually when HTML is parsed the document is saved with the HTML serializer. But with this option the resulting document is saved with the XML serializer. This is primarily used to generate XHTML from HTML input.

## SHELL COMMANDS

`xmllint` offers an interactive shell mode invoked with the `--shell` command. Available commands in shell mode include (in alphabetical order):

`base`

Display XML base of the node.

`bye`

Leave the shell.

`cat NODE`

Display the given node or the current one.

`cd PATH`

Change the current node to the given path (if unique) or root if no argument is given.

`dir PATH`

Dumps information about the node (namespace, attributes, content).

du PATH

Show the structure of the subtree under the given path or the current node.

exit

Leave the shell.

help

Show this help.

free

Display memory usage.

load FILENAME

Load a new document with the given filename.

ls PATH

List contents of the given path or the current directory.

pwd

Display the path to the current node.

quit

Leave the shell.

save FILENAME

Save the current document to the given filename or to the original name.

validate

Check the document for errors.

write FILENAME

Write the current node to the given filename.

ENVIRONMENT

SGML\_CATALOG\_FILES

SGML catalog behavior can be changed by redirecting queries to the user's own set of catalogs. This can be done by setting the SGML\_CATALOG\_FILES environment variable to a list of catalogs. An empty one should deactivate loading the default /etc/sgml/catalog catalog.

XML\_CATALOG\_FILES

XML catalog behavior can be changed by redirecting queries to the user's own set of catalogs. This can be done by setting the XML\_CATALOG\_FILES environment variable to a space-separated list of catalogs. Use percent-encoding to escape spaces or other characters. An empty variable should deactivate loading the default /etc/xml/catalog catalog.

#### XML\_DEBUG\_CATALOG

Setting the environment variable XML\_DEBUG\_CATALOG to non-zero using the export command outputs debugging information related to catalog operations.

#### XMLLINT\_INDENT

Setting the environment variable XMLLINT\_INDENT controls the indentation. The default value is two spaces " ".

#### DIAGNOSTICS

xmllint return codes provide information that can be used when calling it from scripts.

0

No error

1

Unclassified

2

Error in DTD

3

Validation error

4

Validation error

5

Error in schema compilation

6

Error writing output

7

Error in pattern (generated when --pattern option is used)

8



Error in Reader registration (generated when --chkregister option is used)

9

Out of memory error

10

XPath evaluation error

#### SEE ALSO

libxml(3)

More information can be found at

? libxml(3) web page <https://gitlab.gnome.org/GNOME/libxml2>

#### AUTHORS

John Fleck <jfleck@inkstain.net>

Author.

Ziying Sherwin <sherwin@nlm.nih.gov>

Author.

Heiko Rupp <hwr@pilhuhn.de>

Author.

#### COPYRIGHT

Copyright ? 2001, 2004

libxml2

02/19/2022

XMLLINT(1)