

Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'xzdiff.1'

# \$ man xzdiff.1

XZDIFF(1)

XZDIFF(1)

### NAME

xzcmp, xzdiff, lzcmp, lzdiff - compare compressed files

XZ Utils

### SYNOPSIS

xzcmp [cmp\_options] file1 [file2]

xzdiff [diff\_options] file1 [file2]

Izcmp [cmp\_options] file1 [file2]

lzdiff [diff\_options] file1 [file2]

### DESCRIPTION

xzcmp and xzdiff invoke cmp(1) or diff(1) on files compressed with xz(1), lzma(1), gzip(1), bzip2(1), or lzop(1). All options specified are passed directly to cmp(1) or diff(1). If only one file is speci? fied, then the files compared are file1 (which must have a suffix of a supported compression format) and file1 from which the compression for? mat suffix has been stripped. If two files are specified, then they

are uncompressed if necessary and fed to cmp(1) or diff(1). The exit status from cmp(1) or diff(1) is preserved.

The names Izcmp and Izdiff are provided for backward compatibility with LZMA Utils.

### SEE ALSO

cmp(1), diff(1), xz(1), gzip(1), bzip2(1), lzop(1), zdiff(1)

# BUGS

Messages from the cmp(1) or diff(1) programs refer to temporary file? names instead of those specified.

Tukaani 2011-03-19 XZDIFF(1)