



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'zipcloak.1'

\$ man zipcloak.1

zipcloak(1) General Commands Manual zipcloak(1)

NAME

zipcloak - encrypt entries in a zipfile

SYNOPSIS

zipcloak [-d] [-b path] [-h] [-v] [-L] zipfile

ARGUMENTS

zipfile Zipfile to encrypt entries in

OPTIONS

-b path

--temp-path path

Use the directory given by path for the temporary zip file.

-d

--decrypt

Decrypt encrypted entries (copy if given wrong password).

-h

--help

Show a short help.

-L

--license

Show software license.

-O path

--output-file zipfile

Write output to new archive zipfile, leaving original archive as is.

-q

--quiet

Quiet operation. Suppresses some informational messages.

-v

--version

Show version information.

DESCRIPTION

zipcloak encrypts all unencrypted entries in the zipfile. This is the default action.

The -d option is used to decrypt encrypted entries in the zipfile.

zipcloak uses original zip encryption which is considered weak.

Note: The encryption code of this program is not copyrighted and is

put in the public domain. It was originally written in Europe

and can be freely distributed from any country including the

U.S.A. (Previously if this program was imported into the U.S.A,

it could not be re-exported from the U.S.A to another country.)

See the file README.CR included in the source distribution for

more on this. Otherwise, the Info-ZIP license applies.

EXAMPLES

To be added.

BUGS

Large files (> 2 GB) and large archives not yet supported.

Split archives not yet supported. A work around is to convert the

split archive to a single-file archive using zip and then use zipcloak

on the single-file archive. If needed, the resulting archive can then

be split again using zip.

SEE ALSO

zip(1), unzip(1)

AUTHOR

Info-ZIP

v3.0 of 8 May 2008

zipcloak(1)