



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

### ***Windows 11 Help on 'GPRESULT' command***

#### ***C:\>HELP GPRESULT***

GPRESULT [/S system [/U username [/P [password]]]] [/SCOPE scope]

[/USER targetusername] [/R | /V | /Z] [(/X | /H) <filename> [/F]]

#### **Description:**

This command line tool displays the Resultant Set of Policy (RSoP) information for a target user and computer.

#### **Parameter List:**

**/S** system Specifies the remote system to connect to.

**/U** [domain\]user Specifies the user context under which the command should run.

Can not be used with /X, /H.

**/P** [password] Specifies the password for the given user context. Prompts for input if omitted.

Cannot be used with /X, /H.

**/SCOPE** scope Specifies whether the user or the computer settings need to be displayed.

Valid values: "USER", "COMPUTER".

**/USER** [domain\]user Specifies the user name for which the RSoP data is to be displayed.

**/X** <filename> Saves the report in XML format at the location and with the file name specified by the <filename> parameter. (valid in Windows

Vista SP1 and later and Windows Server 2008 and later)

**/H** <filename> Saves the report in HTML format at the

location and with the file name specified by the <filename> parameter. (valid in Windows at least Vista SP1 and at least Windows Server 2008)

- `/F` Forces Gpresult to overwrite the file name specified in the `/X` or `/H` command.
- `/R` Displays RSoP summary data.
- `/V` Specifies that verbose information should be displayed. Verbose information provides additional detailed settings that have been applied with a precedence of 1.
- `/Z` Specifies that the super-verbose information should be displayed. Super-verbose information provides additional detailed settings that have been applied with a precedence of 1 and higher. This allows you to see if a setting was set in multiple places. See the Group Policy online help topic for more information.
- `/?` Displays this help message.

Examples:

```
GPRESULT /R
```

```
GPRESULT /H GPREport.html
```

```
GPRESULT /USER targetusername /V
```

```
GPRESULT /S system /USER targetusername /SCOPE COMPUTER /Z
```

```
GPRESULT /S system /U username /P password /SCOPE USER /V
```