

**NAME**

Font::TTF::Glyph – The Glyph data table

**DESCRIPTION**

This is a stub table. The real data is held in the loca table. If you want to get a glyph look it up in the loca table as `$f-{'loca'}{'glyphs'}[$num]>`. It will not be here!

The difference between reading this table as opposed to the loca table is that reading this table will cause updated glyphs to be written out rather than just copying the glyph information from the input file. This causes font writing to be slower. So read the glyph as opposed to the loca table if you want to change glyph data. Read the loca table only if you are just wanting to read the glyph information.

This class is used when writing the glyphs though.

**METHODS**

`$t->read`

Reads the loca table instead!

`$t->out($fh)`

Writes out all the glyphs in the parent's location table, calculating a new output location for each one.

`$t->out_xml($context, $depth)`

Outputs all the glyphs in the glyph table just where they are supposed to be output!

`$t->XML_start($context, $tag, %attrs)`

Pass control to glyphs as they occur

`$t->XML_end($context, $tag, %attrs)`

Collect up glyphs and put them into the loca table

**BUGS**

None known

**AUTHOR**

Martin Hosken <<http://scripts.sil.org/FontUtils>>.

**LICENSING**

Copyright (c) 1998–2016, SIL International (<http://www.sil.org>)

This module is released under the terms of the Artistic License 2.0. For details, see the full text of the license in the file LICENSE.