

## NAME

Lintian::Pool -- Pool of processables

## SYNOPSIS

```
use Lintian::Pool;

my $pool = Lintian::Pool->new;
$pool->add_file('foo.changes');
$pool->add_file('bar.dsc');
$pool->add_file('baz.deb');
$pool->add_file('qux.buildinfo');
foreach my $gname ($pool->get_group_names) {
    my $group = $pool->get_group($gname);
    process($gname, $group);
}
```

## METHODS

`$pool->groups`

Returns a hash reference to the list of processable groups that are currently in the pool. The key is a unique identifier based on name and version.

`savedir`

`$pool->basedir`

Returns the base directory for the pool. Most likely it's a temporary directory.

`$pool->keep`

Returns or accepts a boolean value that indicates whether the lab should be removed when Lintian finishes. Used for debugging.

`$pool->add_group($group)`

Adds a group to the pool.

`$pool->process`

Process the pool.

`$pool->get_group_names`

Returns the name of all the groups in this pool.

Do not modify the list nor its contents.

`$pool->get_group($name)`

Returns the group called `$name` or `undef` if there is no group called `$name`.

`$pool->empty`

Returns true if the pool is empty.

**DEMOLISH**

Removes the lab and everything in it. Any reference to an entry returned from this lab will immediately become invalid.

## AUTHOR

Originally written by Niels Thykier <niels@thykier.net> for Lintian.

## SEE ALSO

**lintian** (1)

Lintian::Processable

Lintian::Group