

NAME

Log::Any::Adapter::Multiplex – Adapter to use allow structured logging across other adapters

VERSION

version 1.708

SYNOPSIS

```
Log::Any::Adapter->set (
    'Multiplex',
    adapters => {
        'Stdout' => [],
        'Stderr' => [ log_level => 'warn' ],
        ...
        $adapter => \@adapter_args
    },
);
```

DESCRIPTION

This built-in Log::Any adapter provides a simple means of routing logs to multiple other Log::Any::Adapters.

Adapters receiving messages from this adapter can behave just like they are the only recipient of the log message. That means they can, for example, use “Structured logging” in Log::Any::Adapter::Development (or not).

`adapters` is a hashref whose keys should be adapters, and whose values are the arguments to pass those adapters on initialization.

Note that this differs from other loggers like Log::Dispatch, which will only provide its output modules a single string `$message`, and not the full “Log context data” in Log::Any.

SEE ALSO

Log::Any, Log::Any::Adapter

AUTHORS

- Jonathan Swartz <swartz@pobox.com>
- David Golden <dagolden@cpan.org>
- Doug Bell <preaction@cpan.org>
- Daniel Pittman <daniel@rimspace.net>
- Stephen Thirlwall <sdt@cpan.org>

COPYRIGHT AND LICENSE

This software is copyright (c) 2017 by Jonathan Swartz, David Golden, and Doug Bell.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.