

NAME

Net::DNS::SEC::Private – DNSSEC Private key object

SYNOPSIS

```
use Net::DNS::SEC::Private;

$private = new Net::DNS::SEC::Private( $keypath );

$private = new Net::DNS::SEC::Private(
    'algorithm' => '13',
    'keytag'    => '26512',
    'privatekey' => 'h/mc+iq9VDUbnAjQgi8S8Jz1EX29IALchwJmNM3QYKk=',
    'signame'   => 'example.com.'
);
```

DESCRIPTION

Class representing private keys as read from a keyfile generated by BIND `dnssec-keygen`. The class is written to be used only in the context of the `Net::DNS::RR::RRSIG` create method. This class is not designed to interact with any other system.

METHODS**new (from private keyfile)**

```
$keypath = '/home/foo/Kexample.com.+013+26512.private';
$private = new Net::DNS::SEC::Private( $keypath );
```

The argument is the full path to a private key file generated by the BIND `dnssec-keygen` tool. Note that the filename contains information about the algorithm and keytag.

new (from private key parameters)

```
$private = new Net::DNS::SEC::Private(
    'algorithm' => '13',
    'keytag'    => '26512',
    'privatekey' => 'h/mc+iq9VDUbnAjQgi8S8Jz1EX29IALchwJmNM3QYKk=',
    'signame'   => 'example.com.'
);
```

The arguments define the private key parameters as (name,value) pairs. The name and data representation are identical to that used in a BIND private keyfile.

private_key_format

```
$format = $private->private_key_format;
```

Returns a string which identifies the format of the private key file.

algorithm, keytag, signame

```
$algorithm = $private->algorithm;
$keytag    = $private->keytag;
$signame   = $private->signame;
```

Returns the corresponding attribute determined from the filename.

Private key attributes

```
$attribute = $private->attribute;
```

Returns the value as it appears in the private key file. The attribute names correspond to the tag in the key file, modified to form an acceptable Perl subroutine name.

created, publish, activate

```
$created = $private->created;
$publish = $private->publish;
$activate = $private->activate;
```

Returns a string which represents a date in the form 20141212123456. Returns undefined value for key

formats older than v1.3.

COPYRIGHT

Copyright (c)2014,2018 Dick Franks

All Rights Reserved

LICENSE

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of the author not be used in advertising or publicity pertaining to distribution of the software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

SEE ALSO

perl, Net::DNS, Net::DNS::SEC, Net::DNS::RR::DNSKEY, Net::DNS::RR::RRSIG