

**NAME**

XML::LibXML::Comment – XML::LibXML Comment Class

**SYNOPSIS**

```
use XML::LibXML;
# Only methods specific to Comment nodes are listed here,
# see the XML::LibXML::Node manpage for other methods

$node = XML::LibXML::Comment->new( $content );
```

**DESCRIPTION**

This class provides all functions of XML::LibXML::Text, but for comment nodes. This can be done, since only the output of the node types is different, but not the data structure. :-)

**METHODS**

The class inherits from XML::LibXML::Node. The documentation for Inherited methods is not listed here.

Many functions listed here are extensively documented in the DOM Level 3 specification (<<http://www.w3.org/TR/DOM-Level-3-Core/>>). Please refer to the specification for extensive documentation.

```
new
    $node = XML::LibXML::Comment->new( $content );
```

The constructor is the only provided function for this package. It is required, because *libxml2* treats text nodes and comment nodes slightly differently.

**AUTHORS**

Matt Sergeant, Christian Glahn, Petr Pajas

**VERSION**

2.0134

**COPYRIGHT**

2001–2007, AxKit.com Ltd.

2002–2006, Christian Glahn.

2006–2009, Petr Pajas.

**LICENSE**

This program is free software; you can redistribute it and/or modify it under the same terms as Perl itself.