

**NAME**

**bundle-outdated** – List installed gems with newer versions available

**SYNOPSIS**

```
bundle outdated [GEM] [--local] [--pre] [--source] [--strict] [--parseable | --porcelain]
[--group=GROUP] [--groups] [--update-strict] [--patch|--minor|--major] [--filter-major] [--filter-minor]
[--filter-patch] [--only-explicit]
```

**DESCRIPTION**

Outdated lists the names and versions of gems that have a newer version available in the given source. Calling outdated with [GEM [GEM]] will only check for newer versions of the given gems. Prerelease gems are ignored by default. If your gems are up to date, Bundler will exit with a status of 0. Otherwise, it will exit 1.

**OPTIONS****--local**

Do not attempt to fetch gems remotely and use the gem cache instead.

**--pre** Check for newer pre-release gems.

**--source**

Check against a specific source.

**--strict**

Only list newer versions allowed by your Gemfile requirements.

**--parseable, --porcelain**

Use minimal formatting for more parseable output.

**--group**

List gems from a specific group.

**--groups**

List gems organized by groups.

**--update-strict**

Strict conservative resolution, do not allow any gem to be updated past latest **--patch** | **--minor** | **--major**.

**--minor**

Prefer updating only to next minor version.

**--major**

Prefer updating to next major version (default).

**--patch**

Prefer updating only to next patch version.

**--filter-major**

Only list major newer versions.

**--filter-minor**

Only list minor newer versions.

**--filter-patch**

Only list patch newer versions.

**--only-explicit**

Only list gems specified in your Gemfile, not their dependencies.

**PATCH LEVEL OPTIONS**

See `bundle update(1)` [bundle-update.1.html](#) for details.

One difference between the patch level options in **bundle update** and here is the **--strict** option. **--strict** was already an option on outdated before the patch level options were added. **--strict** wasn't altered, and the **--update-strict** option on **outdated** reflects what **--strict** does on **bundle update**.

## FILTERING OUTPUT

The 3 filtering options do not affect the resolution of versions, merely what versions are shown in the output.

If the regular output shows the following:

```
* faker (newest 1.6.6, installed 1.6.5, requested ~> 1.4) in groups "development, test"
* hashie (newest 3.4.6, installed 1.2.0, requested = 1.2.0) in groups "default"
* headless (newest 2.3.1, installed 2.2.3) in groups "test"
```

**--filter-major** would only show:

```
* hashie (newest 3.4.6, installed 1.2.0, requested = 1.2.0) in groups "default"
```

**--filter-minor** would only show:

```
* headless (newest 2.3.1, installed 2.2.3) in groups "test"
```

**--filter-patch** would only show:

```
* faker (newest 1.6.6, installed 1.6.5, requested ~> 1.4) in groups "development, test"
```

Filter options can be combined. **--filter-minor** and **--filter-patch** would show:

```
* faker (newest 1.6.6, installed 1.6.5, requested ~> 1.4) in groups "development, test"
* headless (newest 2.3.1, installed 2.2.3) in groups "test"
```

Combining all three **filter** options would be the same result as providing none of them.