

NAME

bundle – Ruby Dependency Management

SYNOPSIS

bundle COMMAND [--no-color] [--verbose] [ARGS]

DESCRIPTION

Bundler manages an **application's dependencies** through its entire life across many machines systematically and repeatably.

See the bundler website <https://bundler.io> for information on getting started, and Gemfile(5) for more information on the **Gemfile** format.

OPTIONS

--no-color

Print all output without color

--retry, -r

Specify the number of times you wish to attempt network commands

--verbose, -V

Print out additional logging information

BUNDLE COMMANDS

We divide **bundle** subcommands into primary commands and utilities:

PRIMARY COMMANDS

bundle install(1) *bundle-install.1.html*

Install the gems specified by the **Gemfile** or **Gemfile.lock**

bundle update(1) *bundle-update.1.html*

Update dependencies to their latest versions

bundle package(1) *bundle-package.1.html*

Package the .gem files required by your application into the **vendor/cache** directory

bundle exec(1) *bundle-exec.1.html*

Execute a script in the current bundle

bundle config(1) *bundle-config.1.html*

Specify and read configuration options for Bundler

bundle help(1)

Display detailed help for each subcommand

UTILITIES

bundle add(1) *bundle-add.1.html*

Add the named gem to the Gemfile and run **bundle install**

bundle binstubs(1) *bundle-binstubs.1.html*

Generate binstubs for executables in a gem

bundle check(1) *bundle-check.1.html*

Determine whether the requirements for your application are installed and available to Bundler

bundle show(1) *bundle-show.1.html*

Show the source location of a particular gem in the bundle

bundle outdated(1) *bundle-outdated.1.html*

Show all of the outdated gems in the current bundle

bundle console(1)

Start an IRB session in the current bundle

- bundle open(1)** *bundle-open.1.html*
Open an installed gem in the editor
- bundle lock(1)** *bundle-lock.1.html*
Generate a lockfile for your dependencies
- bundle viz(1)** *bundle-viz.1.html*
Generate a visual representation of your dependencies
- bundle init(1)** *bundle-init.1.html*
Generate a simple **Gemfile**, placed in the current directory
- bundle gem(1)** *bundle-gem.1.html*
Create a simple gem, suitable for development with Bundler
- bundle platform(1)** *bundle-platform.1.html*
Display platform compatibility information
- bundle clean(1)** *bundle-clean.1.html*
Clean up unused gems in your Bundler directory
- bundle doctor(1)** *bundle-doctor.1.html*
Display warnings about common problems
- bundle remove(1)** *bundle-remove.1.html*
Removes gems from the Gemfile

PLUGINS

When running a command that isn't listed in PRIMARY COMMANDS or UTILITIES, Bundler will try to find an executable on your path named **bundler-*<command>*** and execute it, passing down any extra arguments to it.

OBSOLETE

These commands are obsolete and should no longer be used:

- **bundle cache(1)**
- **bundle show(1)**