

**NAME**

fprintd – Fingerprint management daemon, and test applications

**SYNOPSIS**

**fprintd-enroll** [-f finger] [username]

**fprintd-list** username [usernames...]

**fprintd-verify** [-f finger] [username]

**fprintd-delete** username [usernames...]

**DESCRIPTION**

This manual page documents briefly the **fprintd** command-line utilities.

The **fprintd** daemon is accessed through **D-Bus** by those command-line utilities.

**ARGUMENTS****username**

The username for the user for which you want to query or modify the fingerprint database.

Not that **fprintd-list** and **fprintd-delete** require at least one username to be passed, and support multiple usernames.

**fprintd-enroll** and **fprintd-verify** will use the current username if none are passed on the command-line.

**-f finger**

For **fprintd-enroll**, the finger to enroll. Possible values are:

left-thumb, left-index-finger, left-middle-finger, left-ring-finger, left-little-finger, right-thumb, right-index-finger, right-middle-finger, right-ring-finger, right-little-finger.

The default is automatic, selecting the first available finger for swipe devices, or all the enrolled fingers, for press devices.

**TEST APPLICATIONS****fprintd-enroll**

Will enroll the user's right index finger into the database.

**fprintd-list**

Will list the user's enrolled fingerprints.

**fprintd-verify**

Will verify the user's fingerprints against the database.

**fprintd-enroll**

Will enroll the user's right index finger into the database.

**AUTHOR**

**fprintd** was written by Bastien Nocera and Daniel Drake.

**DIRECTORIES**

By default, fprintd stores the fingerprints in **/var/lib/fprint/**

**SEE ALSO**

**gnome-control-center**