

NAME

gettid – get thread identification

SYNOPSIS

```
#include <sys/types.h>
```

```
pid_t gettid(void);
```

DESCRIPTION

gettid() returns the caller's thread ID (TID). In a single-threaded process, the thread ID is equal to the process ID (PID, as returned by **getpid(2)**). In a multithreaded process, all threads have the same PID, but each one has a unique TID. For further details, see the discussion of **CLONE_THREAD** in **clone(2)**.

RETURN VALUE

On success, returns the thread ID of the calling thread.

ERRORS

This call is always successful.

VERSIONS

The **gettid()** system call first appeared on Linux in kernel 2.4.11. Library support was added in glibc 2.30. (Earlier glibc versions did not provide a wrapper for this system call, necessitating the use of **syscall(2)**.)

CONFORMING TO

gettid() is Linux-specific and should not be used in programs that are intended to be portable.

NOTES

The thread ID returned by this call is not the same thing as a POSIX thread ID (i.e., the opaque value returned by **pthread_self(3)**).

In a new thread group created by a **clone(2)** call that does not specify the **CLONE_THREAD** flag (or, equivalently, a new process created by **fork(2)**), the new process is a thread group leader, and its thread group ID (the value returned by **getpid(2)**) is the same as its thread ID (the value returned by **gettid()**).

SEE ALSO

capget(2), **clone(2)**, **fcntl(2)**, **fork(2)**, **getpid(2)**, **get_robust_list(2)**, **ioprio_set(2)**, **perf_event_open(2)**, **sched_setaffinity(2)**, **sched_setparam(2)**, **sched_setscheduler(2)**, **tgkill(2)**, **timer_create(2)**

COLOPHON

This page is part of release 5.05 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.