

**NAME**

getttyent, getttynam, setttyent, endttyent – get ttys file entry

**SYNOPSIS**

```
#include <ttyent.h>

struct ttyent *getttyent(void);

struct ttyent *getttynam(const char *name);

int setttyent(void);

int endttyent(void);
```

**DESCRIPTION**

These functions provide an interface to the file `_PATH_TTYS` (e.g., `/etc/ttys`).

The function `setttyent()` opens the file or rewinds it if already open.

The function `endttyent()` closes the file.

The function `getttynam()` searches for a given terminal name in the file. It returns a pointer to a `ttyent` structure (description below).

The function `getttyent()` opens the file `_PATH_TTYS` (if necessary) and returns the first entry. If the file is already open, the next entry. The `ttyent` structure has the form:

```
struct ttyent {
    char *ty_name;      /* terminal device name */
    char *ty_getty;    /* command to execute, usually getty */
    char *ty_type;     /* terminal type for termcap */
    int ty_status;     /* status flags */
    char *ty_window;   /* command to start up window manager */
    char *ty_comment;  /* comment field */
};
```

`ty_status` can be:

```
#define TTY_ON      0x01 /* enable logins (start ty_getty program) */
#define TTY_SECURE 0x02 /* allow UID 0 to login */
```

**ATTRIBUTES**

For an explanation of the terms used in this section, see `attributes(7)`.

Interface	Attribute	Value
<code>getttyent()</code> , <code>setttyent()</code> , <code>endttyent()</code> , <code>getttynam()</code>	Thread safety	MT-Unsafe race:ttyent

**CONFORMING TO**

Not in POSIX.1. Present on the BSDs, and perhaps other systems.

**NOTES**

Under Linux, the file `/etc/ttys`, and the functions described above, are not used.

**SEE ALSO**

`ttyname(3)`, `ttyslot(3)`

**COLOPHON**

This page is part of release 5.05 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.