

NAME

memcpy, wmemcpy – copy memory area

SYNOPSIS

```
#define _GNU_SOURCE    /* See feature_test_macros(7) */
#include <string.h>
```

```
void *memcpy(void *dest, const void *src, size_t n);
```

```
#define _GNU_SOURCE    /* See feature_test_macros(7) */
#include <wchar.h>
```

```
wchar_t *wmemcpy(wchar_t *dest, const wchar_t *src, size_t n);
```

DESCRIPTION

The **memcpy()** function is nearly identical to the **memcpy(3)** function. It copies *n* bytes from the object beginning at *src* into the object pointed to by *dest*. But instead of returning the value of *dest* it returns a pointer to the byte following the last written byte.

This function is useful in situations where a number of objects shall be copied to consecutive memory positions.

The **wmemcpy()** function is identical but takes *wchar_t* type arguments and copies *n* wide characters.

RETURN VALUE

dest + n.

VERSIONS

memcpy() first appeared in glibc in version 2.1.

ATTRIBUTES

For an explanation of the terms used in this section, see **attributes(7)**.

Interface	Attribute	Value
memcpy() , wmemcpy()	Thread safety	MT-Safe

CONFORMING TO

This function is a GNU extension.

EXAMPLE

```
void *
combine(void *o1, size_t s1, void *o2, size_t s2)
{
    void *result = malloc(s1 + s2);
    if (result != NULL)
        memcpy(result, o1, s1), o2, s2);
    return result;
}
```

SEE ALSO

memcpy(3), **memcpy(3)**, **memmove(3)**, **wmemcpy(3)**

COLOPHON

This page is part of release 5.05 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.