

**NAME**

posixoptions – optional parts of the POSIX standard

**DESCRIPTION**

The POSIX standard (the information below is from POSIX.1-2001) describes a set of behaviors and interfaces for a compliant system. However, many interfaces are optional and there are feature test macros to test the availability of interfaces at compile time, and functions **sysconf(3)**, **fpathconf(3)**, **pathconf(3)**, **confstr(3)** to do this at run time. From shell scripts one can use **getconf(1)**. For more detail, see **sysconf(3)**.

We give the name of the POSIX abbreviation, the option, the name of the **sysconf(3)** parameter used to inquire about the option, and possibly a very short description. Much more precise detail can be found in the POSIX standard itself, versions of which can nowadays be accessed freely on the web.

**ADV - \_POSIX\_ADVISORY\_INFO - \_SC\_ADVISORY\_INFO**

The following advisory functions are present:

```
posix_fadvise()
posix_fallocate()
posix_memalign()
posix_madvise()
```

**AIO - \_POSIX\_ASYNCHRONOUS\_IO - \_SC\_ASYNCHRONOUS\_IO**

The header `< aio.h >` is present. The following functions are present:

```
aio_cancel()
aio_error()
aio_fsync()
aio_read()
aio_return()
aio_suspend()
aio_write()
lio_listio()
```

**BAR - \_POSIX\_BARRIERS - \_SC\_BARRIERS**

This option implies the **\_POSIX\_THREADS** and **\_POSIX\_THREAD\_SAFE\_FUNCTIONS** options.

The following functions are present:

```
pthread_barrier_destroy()
pthread_barrier_init()
pthread_barrier_wait()
pthread_barrierattr_destroy()
pthread_barrierattr_init()
```

**--- - POSIX\_CHOWN\_RESTRICTED**

If this option is in effect (as it always is under POSIX.1-2001), then only root may change the owner of a file, and nonroot can set the group of a file only to one of the groups it belongs to. This affects the following functions

```
chown()
fchown()
```

**CS - \_POSIX\_CLOCK\_SELECTION - \_SC\_CLOCK\_SELECTION**

This option implies the **\_POSIX\_TIMERS** option. The following functions are present:

```
pthread_condattr_getclock()
pthread_condattr_setclock()
clock_nanosleep()
```

If **CLOCK\_REALTIME** is changed by the function `clock_settime()`, then this affects all timers set for an absolute time.

**CPT - \_POSIX\_CPUTIME - \_SC\_CPUTIME**

The **CLOCK\_PROCESS\_CPUTIME\_ID** clock ID is supported. The initial value of this clock is 0 for each process. This option implies the **\_POSIX\_TIMERS** option. The function *clock\_gettime()* is present.

**--- - \_POSIX\_FILE\_LOCKING - \_SC\_FILE\_LOCKING**

This option has been deleted. Not in final XPG6.

**FSC - \_POSIX\_FSYNC - \_SC\_FSYNC**

The function *fsync()* is present.

**IP6 - \_POSIX\_IPV6 - \_SC\_IPV6**

Internet Protocol Version 6 is supported.

**--- - \_POSIX\_JOB\_CONTROL - \_SC\_JOB\_CONTROL**

If this option is in effect (as it always is under POSIX.1-2001), then the system implements POSIX-style job control, and the following functions are present:

```
setpgid()
tcdrain()
tcflush()
tcgetpgrp()
tcsendbreak()
tcsetattr()
tcsetpgrp()
```

**MF - \_POSIX\_MAPPED\_FILES - \_SC\_MAPPED\_FILES**

Shared memory is supported. The include file *<sys/mman.h>* is present. The following functions are present:

```
mmap()
msync()
munmap()
```

**ML - \_POSIX\_MEMLOCK - \_SC\_MEMLOCK**

Shared memory can be locked into core. The following functions are present:

```
mlockall()
munlockall()
```

**MR/MLR - \_POSIX\_MEMLOCK\_RANGE - \_SC\_MEMLOCK\_RANGE**

More precisely, ranges can be locked into core. The following functions are present:

```
mlock()
munlock()
```

**MPR - \_POSIX\_MEMORY\_PROTECTION - \_SC\_MEMORY\_PROTECTION**

The function *mprotect()* is present.

**MSG - \_POSIX\_MESSAGE\_PASSING - \_SC\_MESSAGE\_PASSING**

The include file *<mq.h>* is present. The following functions are present:

```
mq_close()
mq_getattr()
mq_notify()
mq_open()
mq_receive()
mq_send()
mq_setattr()
mq_unlink()
```

**MON - \_POSIX\_MONOTONIC\_CLOCK - \_SC\_MONOTONIC\_CLOCK**

**CLOCK\_MONOTONIC** is supported. This option implies the **\_POSIX\_TIMERS** option. The following functions are affected:

```
 aio_suspend()
 clock_getres()
 clock_gettime()
 clock_settime()
 timer_create()
```

**--- - \_POSIX\_MULTI\_PROCESS - \_SC\_MULTI\_PROCESS**

This option has been deleted. Not in final XPG6.

**--- - \_POSIX\_NO\_TRUNC**

If this option is in effect (as it always is under POSIX.1-2001), then pathname components longer than **NAME\_MAX** are not truncated, but give an error. This property may be dependent on the path prefix of the component.

**PIO - \_POSIX\_PRIORITIZED\_IO - \_SC\_PRIORITIZED\_IO**

This option says that one can specify priorities for asynchronous I/O. This affects the functions

```
 aio_read()
 aio_write()
```

**PS - \_POSIX\_PRIORITY\_SCHEDULING - \_SC\_PRIORITY\_SCHEDULING**

The include file `<sched.h>` is present. The following functions are present:

```
 sched_get_priority_max()
 sched_get_priority_min()
 sched_getparam()
 sched_getscheduler()
 sched_rr_get_interval()
 sched_setparam()
 sched_setscheduler()
 sched_yield()
```

If also **\_POSIX\_SPAWN** is in effect, then the following functions are present:

```
 posix_spawnattr_getschedparam()
 posix_spawnattr_getschedpolicy()
 posix_spawnattr_setschedparam()
 posix_spawnattr_setschedpolicy()
```

**RS - \_POSIX\_RAW\_SOCKETS**

Raw sockets are supported. The following functions are affected:

```
 getsockopt()
 setsockopt()
```

**--- - \_POSIX\_READER\_WRITER\_LOCKS - \_SC\_READER\_WRITER\_LOCKS**

This option implies the **\_POSIX\_THREADS** option. Conversely, under POSIX.1-2001 the **\_POSIX\_THREADS** option implies this option.

The following functions are present:

```
 pthread_rwlock_destroy()
 pthread_rwlock_init()
 pthread_rwlock_rdlock()
 pthread_rwlock_tryrdlock()
 pthread_rwlock_trywrlock()
 pthread_rwlock_unlock()
 pthread_rwlock_wrlock()
 pthread_rwlockattr_destroy()
```

*pthread\_rwlockattr\_init()*

### **RTS - \_POSIX\_REALTIME\_SIGNALS - \_SC\_REALTIME\_SIGNALS**

Realtime signals are supported. The following functions are present:

*sigqueue()*  
*sigtimedwait()*  
*sigwaitinfo()*

### **--- - \_POSIX\_REGEX - \_SC\_REGEX**

If this option is in effect (as it always is under POSIX.1-2001), then POSIX regular expressions are supported and the following functions are present:

*regcomp()*  
*regerror()*  
*regexexec()*  
*regfree()*

### **--- - \_POSIX\_SAVED\_IDS - \_SC\_SAVED\_IDS**

If this option is in effect (as it always is under POSIX.1-2001), then a process has a saved set-user-ID and a saved set-group-ID. The following functions are affected:

*exec()*  
*kill()*  
*seteuid()*  
*setegid()*  
*setgid()*  
*setuid()*

### **SEM - \_POSIX\_SEMAPHORES - \_SC\_SEMAPHORES**

The include file *<semaphore.h>* is present. The following functions are present:

*sem\_close()*  
*sem\_destroy()*  
*sem\_getvalue()*  
*sem\_init()*  
*sem\_open()*  
*sem\_post()*  
*sem\_trywait()*  
*sem\_unlink()*  
*sem\_wait()*

### **SHM - \_POSIX\_SHARED\_MEMORY\_OBJECTS - \_SC\_SHARED\_MEMORY\_OBJECTS**

The following functions are present:

*mmap()*  
*munmap()*  
*shm\_open()*  
*shm\_unlink()*

### **--- - \_POSIX\_SHELL - \_SC\_SHELL**

If this option is in effect (as it always is under POSIX.1-2001), the function *system()* is present.

### **SPN - \_POSIX\_SPAWN - \_SC\_SPAWN**

This option describes support for process creation in a context where it is difficult or impossible to use *fork()*, for example, because no MMU is present.

If **\_POSIX\_SPAWN** is in effect, then the include file *<spawn.h>* and the following functions are present:

*posix\_spawn()*  
*posix\_spawn\_file\_actions\_addclose()*  
*posix\_spawn\_file\_actions\_adddup2()*  
*posix\_spawn\_file\_actions\_addopen()*

```

posix_spawn_file_actions_destroy()
posix_spawn_file_actions_init()
posix_spawnattr_destroy()
posix_spawnattr_getsigdefault()
posix_spawnattr_getflags()
posix_spawnattr_getpgroup()
posix_spawnattr_getsigmask()
posix_spawnattr_init()
posix_spawnattr_setsigdefault()
posix_spawnattr_setflags()
posix_spawnattr_setpgroup()
posix_spawnattr_setsigmask()
posix_spawnnp()

```

If also **\_POSIX\_PRIORITY\_SCHEDULING** is in effect, then the following functions are present:

```

posix_spawnattr_getschedparam()
posix_spawnattr_getschedpolicy()
posix_spawnattr_setschedparam()
posix_spawnattr_setschedpolicy()

```

#### **SPI - \_POSIX\_SPIN\_LOCKS - \_SC\_SPIN\_LOCKS**

This option implies the **\_POSIX\_THREADS** and **\_POSIX\_THREAD\_SAFE\_FUNCTIONS** options.

The following functions are present:

```

pthread_spin_destroy()
pthread_spin_init()
pthread_spin_lock()
pthread_spin_trylock()
pthread_spin_unlock()

```

#### **SS - \_POSIX\_SPORADIC\_SERVER - \_SC\_SPORADIC\_SERVER**

The scheduling policy **SCHED\_SPORADIC** is supported. This option implies the **\_POSIX\_PRIORITY\_SCHEDULING** option. The following functions are affected:

```

sched_setparam()
sched_setscheduler()

```

#### **SIO - \_POSIX\_SYNCHRONIZED\_IO - \_SC\_SYNCHRONIZED\_IO**

The following functions are affected:

```

open()
msync()
fsync()
fdatasync()

```

#### **TSA - \_POSIX\_THREAD\_ATTR\_STACKADDR - \_SC\_THREAD\_ATTR\_STACKADDR**

The following functions are affected:

```

pthread_attr_getstack()
pthread_attr_getstackaddr()
pthread_attr_setstack()
pthread_attr_setstackaddr()

```

#### **TSS - \_POSIX\_THREAD\_ATTR\_STACKSIZE - \_SC\_THREAD\_ATTR\_STACKSIZE**

The following functions are affected:

```

pthread_attr_getstack()
pthread_attr_getstacksize()
pthread_attr_setstack()
pthread_attr_setstacksize()

```

**TCT - \_POSIX\_THREAD\_CPUTIME - \_SC\_THREAD\_CPUTIME**

The clockID `CLOCK_THREAD_CPUTIME_ID` is supported. This option implies the `_POSIX_TIMERS` option. The following functions are affected:

```
pthread_getcpuclockid()
clock_getres()
clock_gettime()
clock_settime()
timer_create()
```

**TPI - \_POSIX\_THREAD\_PRIO\_INHERIT - \_SC\_THREAD\_PRIO\_INHERIT**

The following functions are affected:

```
pthread_mutexattr_getprotocol()
pthread_mutexattr_setprotocol()
```

**TPP - \_POSIX\_THREAD\_PRIO\_PROTECT - \_SC\_THREAD\_PRIO\_PROTECT**

The following functions are affected:

```
pthread_mutex_getprioceiling()
pthread_mutex_setprioceiling()
pthread_mutexattr_getprioceiling()
pthread_mutexattr_getprotocol()
pthread_mutexattr_setprioceiling()
pthread_mutexattr_setprotocol()
```

**TPS - \_POSIX\_THREAD\_PRIORITY\_SCHEDULING - \_SC\_THREAD\_PRIORITY\_SCHEDULING**

If this option is in effect, the different threads inside a process can run with different priorities and/or different schedulers. The following functions are affected:

```
pthread_attr_getinheritsched()
pthread_attr_getschedpolicy()
pthread_attr_getscope()
pthread_attr_setinheritsched()
pthread_attr_setschedpolicy()
pthread_attr_setscope()
pthread_getschedparam()
pthread_setschedparam()
pthread_setschedprio()
```

**TSH - \_POSIX\_THREAD\_PROCESS\_SHARED - \_SC\_THREAD\_PROCESS\_SHARED**

The following functions are affected:

```
pthread_barrierattr_getpshared()
pthread_barrierattr_setpshared()
pthread_condattr_getpshared()
pthread_condattr_setpshared()
pthread_mutexattr_getpshared()
pthread_mutexattr_setpshared()
pthread_rwlockattr_getpshared()
pthread_rwlockattr_setpshared()
```

**TSF - \_POSIX\_THREAD\_SAFE\_FUNCTIONS - \_SC\_THREAD\_SAFE\_FUNCTIONS**

The following functions are affected:

```
readdir_r()
getgrgid_r()
getgrnam_r()
getpwnam_r()
getpwuid_r()
flockfile()
```

```

ftrylockfile()
funlockfile()
getc_unlocked()
getchar_unlocked()
putc_unlocked()
putchar_unlocked()
rand_r()
strerror_r()
strtok_r()
asctime_r()
ctime_r()
gmtime_r()
localtime_r()

```

#### **TSP - \_POSIX\_THREAD\_SPORADIC\_SERVER - \_SC\_THREAD\_SPORADIC\_SERVER**

This option implies the `_POSIX_THREAD_PRIORITY_SCHEDULING` option. The following functions are affected:

```

sched_getparam()
sched_setparam()
sched_setscheduler()

```

#### **THR - \_POSIX\_THREADS - \_SC\_THREADS**

Basic support for POSIX threads is available. The following functions are present:

```

pthread_atfork()
pthread_attr_destroy()
pthread_attr_getdetachstate()
pthread_attr_getschedparam()
pthread_attr_init()
pthread_attr_setdetachstate()
pthread_attr_setschedparam()
pthread_cancel()
pthread_cleanup_push()
pthread_cleanup_pop()
pthread_cond_broadcast()
pthread_cond_destroy()
pthread_cond_init()
pthread_cond_signal()
pthread_cond_timedwait()
pthread_cond_wait()
pthread_condattr_destroy()
pthread_condattr_init()
pthread_create()
pthread_detach()
pthread_equal()
pthread_exit()
pthread_getspecific()
pthread_join()
pthread_key_create()
pthread_key_delete()
pthread_mutex_destroy()
pthread_mutex_init()
pthread_mutex_lock()
pthread_mutex_trylock()
pthread_mutex_unlock()
pthread_mutexattr_destroy()

```

*pthread\_mutexattr\_init()*  
*pthread\_once()*  
*pthread\_rwlock\_destroy()*  
*pthread\_rwlock\_init()*  
*pthread\_rwlock\_rdlock()*  
*pthread\_rwlock\_tryrdlock()*  
*pthread\_rwlock\_trywrlock()*  
*pthread\_rwlock\_unlock()*  
*pthread\_rwlock\_wrlock()*  
*pthread\_rwlockattr\_destroy()*  
*pthread\_rwlockattr\_init()*  
*pthread\_self()*  
*pthread\_setcancelstate()*  
*pthread\_setcanceltype()*  
*pthread\_setspecific()*  
*pthread\_testcancel()*

#### **TMO - \_POSIX\_TIMEOUTS - \_SC\_TIMEOUTS**

The following functions are present:

*mq\_timedreceive()*  
*mq\_timedsend()*  
*pthread\_mutex\_timedlock()*  
*pthread\_rwlock\_timedrdlock()*  
*pthread\_rwlock\_timedwrlock()*  
*sem\_timedwait()*  
*posix\_trace\_timedgetnext\_event()*

#### **TMR - \_POSIX\_TIMERS - \_SC\_TIMERS**

The following functions are present:

*clock\_getres()*  
*clock\_gettime()*  
*clock\_settime()*  
*nanosleep()*  
*timer\_create()*  
*timer\_delete()*  
*timer\_gettime()*  
*timer\_getoverrun()*  
*timer\_settime()*

#### **TRC - \_POSIX\_TRACE - \_SC\_TRACE**

POSIX tracing is available. The following functions are present:

*posix\_trace\_attr\_destroy()*  
*posix\_trace\_attr\_getclockres()*  
*posix\_trace\_attr\_getcreatetime()*  
*posix\_trace\_attr\_getgenversion()*  
*posix\_trace\_attr\_getmaxdatasize()*  
*posix\_trace\_attr\_getmaxsystemeventsize()*  
*posix\_trace\_attr\_getmaxusereventsize()*  
*posix\_trace\_attr\_getname()*  
*posix\_trace\_attr\_getstreamfullpolicy()*  
*posix\_trace\_attr\_getstreamsize()*  
*posix\_trace\_attr\_init()*  
*posix\_trace\_attr\_setmaxdatasize()*  
*posix\_trace\_attr\_setname()*  
*posix\_trace\_attr\_setstreamsize()*

```

    posix_trace_attr_setstreamfullpolicy()
    posix_trace_clear()
    posix_trace_create()
    posix_trace_event()
    posix_trace_eventid_equal()
    posix_trace_eventid_get_name()
    posix_trace_eventid_open()
    posix_trace_eventtypelist_getnext_id()
    posix_trace_eventtypelist_rewind()
    posix_trace_flush()
    posix_trace_get_attr()
    posix_trace_get_status()
    posix_trace_getnext_event()
    posix_trace_shutdown()
    posix_trace_start()
    posix_trace_stop()
    posix_trace_trygetnext_event()

```

#### **TEF - \_POSIX\_TRACE\_EVENT\_FILTER - \_SC\_TRACE\_EVENT\_FILTER**

This option implies the `_POSIX_TRACE` option. The following functions are present:

```

    posix_trace_eventset_add()
    posix_trace_eventset_del()
    posix_trace_eventset_empty()
    posix_trace_eventset_fill()
    posix_trace_eventset_ismember()
    posix_trace_get_filter()
    posix_trace_set_filter()
    posix_trace_trid_eventid_open()

```

#### **TRI - \_POSIX\_TRACE\_INHERIT - \_SC\_TRACE\_INHERIT**

Tracing children of the traced process is supported. This option implies the `_POSIX_TRACE` option. The following functions are present:

```

    posix_trace_attr_getinherited()
    posix_trace_attr_setinherited()

```

#### **TRL - \_POSIX\_TRACE\_LOG - \_SC\_TRACE\_LOG**

This option implies the `_POSIX_TRACE` option. The following functions are present:

```

    posix_trace_attr_getlogfullpolicy()
    posix_trace_attr_getlogsize()
    posix_trace_attr_setlogfullpolicy()
    posix_trace_attr_setlogsize()
    posix_trace_close()
    posix_trace_create_withlog()
    posix_trace_open()
    posix_trace_rewind()

```

#### **TYM - \_POSIX\_TYPED\_MEMORY\_OBJECTS - \_SC\_TYPED\_MEMORY\_OBJECT**

The following functions are present:

```

    posix_mem_offset()
    posix_typed_mem_get_info()
    posix_typed_mem_open()

```

#### **--- - \_POSIX\_VDISABLE**

Always present (probably 0). Value to set a changeable special control character to indicate that it is disabled.

**X/OPEN SYSTEM INTERFACE EXTENSIONS****XSI - \_XOPEN\_CRYPT - \_SC\_XOPEN\_CRYPT**

The following functions are present:

```
crypt()
encrypt()
setkey()
```

**XSI - \_XOPEN\_REALTIME - \_SC\_XOPEN\_REALTIME**

This option implies the following options:

```
_POSIX_ASYNCHRONOUS_IO==200112L
_POSIX_FSYNC
_POSIX_MAPPED_FILES
_POSIX_MEMLOCK==200112L
_POSIX_MEMLOCK_RANGE==200112L
_POSIX_MEMORY_PROTECTION
_POSIX_MESSAGE_PASSING==200112L
_POSIX_PRIORITIZED_IO
_POSIX_PRIORITY_SCHEDULING==200112L
_POSIX_REALTIME_SIGNALS==200112L
_POSIX_SEMAPHORES==200112L
_POSIX_SHARED_MEMORY_OBJECTS==200112L
_POSIX_SYNCHRONIZED_IO==200112L
_POSIX_TIMERS==200112L
```

**ADV - - - - -**

The Advanced Realtime option group implies that the following options are all defined to 200112L:

```
_POSIX_ADVISORY_INFO
_POSIX_CLOCK_SELECTION
    (implies _POSIX_TIMERS)
_POSIX_CPUTIME
    (implies _POSIX_TIMERS)
_POSIX_MONOTONIC_CLOCK
    (implies _POSIX_TIMERS)
_POSIX_SPAWN
_POSIX_SPORADIC_SERVER
    (implies _POSIX_PRIORITY_SCHEDULING)
_POSIX_TIMEOUTS
_POSIX_TYPED_MEMORY_OBJECTS
```

**XSI - \_XOPEN\_REALTIME\_THREADS - \_SC\_XOPEN\_REALTIME\_THREADS**

This option implies that the following options are all defined to 200112L:

```
_POSIX_THREAD_PRIO_INHERIT
_POSIX_THREAD_PRIO_PROTECT
_POSIX_THREAD_PRIORITY_SCHEDULING
```

**ADVANCED REALTIME THREADS - - - - -**

This option implies that the following options are all defined to 200112L:

```
_POSIX_BARRIERS
    (implies _POSIX_THREADS, _POSIX_THREAD_SAFE_FUNCTIONS)
_POSIX_SPIN_LOCKS
    (implies _POSIX_THREADS, _POSIX_THREAD_SAFE_FUNCTIONS)
_POSIX_THREAD_CPUTIME
    (implies _POSIX_TIMERS)
```

**\_POSIX\_THREAD\_SPORADIC\_SERVER**  
 (implies **\_POSIX\_THREAD\_PRIORITY\_SCHEDULING**)

**TRACING - - - - -**

This option implies that the following options are all defined to 200112L:

**\_POSIX\_TRACE**  
**\_POSIX\_TRACE\_EVENT\_FILTER**  
**\_POSIX\_TRACE\_LOG**  
**\_POSIX\_TRACE\_INHERIT**

**STREAMS - \_XOPEN\_STREAMS - \_SC\_XOPEN\_STREAMS**

The following functions are present:

*fattach()*  
*fdetach()*  
*getmsg()*  
*getpmsg()*  
*ioctl()*  
*isastream()*  
*putmsg()*  
*putpmsg()*

**XSI - \_XOPEN\_LEGACY - \_SC\_XOPEN\_LEGACY**

Functions included in the legacy option group were previously mandatory, but are now optional in this version. The following functions are present:

*bcmp()*  
*bcopy()*  
*bzero()*  
*ecvt()*  
*fcvt()*  
*ftime()*  
*gcvt()*  
*getcwd()*  
*index()*  
*mktemp()*  
*rindex()*  
*utimes()*  
*wcswcs()*

**XSI - \_XOPEN\_UNIX - \_SC\_XOPEN\_UNIX**

The following functions are present:

*mmap()*  
*munmap()*  
*msync()*

This option implies the following options:

**\_POSIX\_FSYNC**  
**\_POSIX\_MAPPED\_FILES**  
**\_POSIX\_MEMORY\_PROTECTION**  
**\_POSIX\_THREAD\_ATTR\_STACKADDR**  
**\_POSIX\_THREAD\_ATTR\_STACKSIZE**  
**\_POSIX\_THREAD\_PROCESS\_SHARED**  
**\_POSIX\_THREAD\_SAFE\_FUNCTIONS**  
**\_POSIX\_THREADS**

This option may imply the following options from the XSI option groups:

Encryption (**\_XOPEN\_CRYPT**)  
Realtime (**\_XOPEN\_REALTIME**)  
Advanced Realtime (**ADB**)  
Realtime Threads (**\_XOPEN\_REALTIME\_THREADS**)  
Advanced Realtime Threads (**ADVANCED\_REALTIME\_THREADS**)  
Tracing (**TRACING**)  
XSI Streams (**STREAMS**)  
Legacy (**\_XOPEN\_LEGACY**)

**SEE ALSO**

**sysconf(3)**, **standards(7)**

**COLOPHON**

This page is part of release 5.05 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.