## NAME

roff2pdf – transform roff code into pdf mode

# **SYNOPSIS**

```
roff2pdf [groffer-option ...] [--] [filespec ...]
```

```
roff2pdf –h
roff2pdf ––help
roff2pdf –v
```

roff2pdf --version

The options  $-\mathbf{v}$  and  $--\mathbf{version}$  print the version information of the program to standard output and exit. The options  $-\mathbf{h}$  and  $--\mathbf{help}$  print a usage information of the program to standard output and stop the program instantly.

All other options are assumed to be **groffer** options. They are internally passed to **groffer**. They override the behavior of the program. The options are optional, they can be omitted.

The *filespec* arguments correspond to the *filespec* arguments of **groffer**. So they are either the names of existing, readable files or - for standard input, or the name of a man page or a **groffer**(1) man page search pattern. If no *filespec* is specified standard input is assumed automatically.

## DESCRIPTION

roff2pdf transforms roff code into pdf mode. Print the result to standard output.

There are more of these programs for generating other formats of *roff* input.

#### roff2dvi(1)

is for *dvi* mode.

#### roff2html(1)

generates HTML output.

## roff2ps(1)

prints PostScript format to standard output.

## roff2text(1)

generates text output in the groff device latin1.

## roff2x(1)

prints the output in the groff device X that is suitable for programs like gxditview(1) or xditview(1).

# AUTHORS

**roff2pdf** was written by Bernd Warken (groff-bernd.warken-72@web.de).

## SEE ALSO

groff(1), groffer(1), roff2dvi(1), roff2html(1), roff2ps(1), roff2text(1), roff2x(1), gxditview(1).