

NAME

roff2x – transform roff code into x mode

SYNOPSIS

roff2x [*groffer-option* ...] [--] [*filespec* ...]

roff2x -h

roff2x --help

roff2x -v

roff2x --version

The options **-v** and **--version** print the version information of the program to standard output and exit. The options **-h** and **--help** print a usage information of the program to standard output and stop the program instantly.

All other options are assumed to be **groffer** options. They are internally passed to **groffer**. They override the behavior of the program. The options are optional, they can be omitted.

The *filespec* arguments correspond to the *filespec* arguments of **groffer**. So they are either the names of existing, readable files or **-** for standard input, or the name of a man page or a **groffer(1)** man page search pattern. If no *filespec* is specified standard input is assumed automatically.

DESCRIPTION

roff2x transforms *roff* code into *X* mode corresponding to the *groff* devices **X***; this mode is suitable for **gxditview(1)**. Print the result to standard output.

There are more of these programs for generating other formats of *roff* input.

roff2dvi(1)

is for *dvi* mode.

roff2html(1)

generates *HTML* output.

roff2pdf(1)

outputs *pdf* mode.

roff2ps(1)

prints *PostScript* format to standard output.

roff2text(1)

generates text output in the **groff** device *latin1*.

AUTHORS

roff2x was written by Bernd Warken <groff-bernd.warken-72@web.de>.

SEE ALSO

groff(1), **groffer(1)**, **roff2dvi(1)**, **roff2html(1)**, **roff2pdf(1)**, **roff2ps(1)**, **roff2text(1)**, **gxditview(1)**.