

NAME

scp — OpenSSH secure file copy

SYNOPSIS

```
scp [-346BCpqrTv] [-c cipher] [-F ssh_config] [-i identity_file]
  [-J destination] [-l limit] [-o ssh_option] [-P port] [-S program]
  source ... target
```

DESCRIPTION

scp copies files between hosts on a network. It uses `ssh(1)` for data transfer, and uses the same authentication and provides the same security as `ssh(1)`. **scp** will ask for passwords or passphrases if they are needed for authentication.

The *source* and *target* may be specified as a local pathname, a remote host with optional path in the form `[user@]host:[path]`, or a URI in the form `scp://[user@]host[:port][path]`. Local file names can be made explicit using absolute or relative pathnames to avoid **scp** treating file names containing ‘:’ as host specifiers.

When copying between two remote hosts, if the URI format is used, a *port* may only be specified on the *target* if the `-3` option is used.

The options are as follows:

- 3** Copies between two remote hosts are transferred through the local host. Without this option the data is copied directly between the two remote hosts. Note that this option disables the progress meter.
- 4** Forces **scp** to use IPv4 addresses only.
- 6** Forces **scp** to use IPv6 addresses only.
- B** Selects batch mode (prevents asking for passwords or passphrases).
- C** Compression enable. Passes the `-C` flag to `ssh(1)` to enable compression.
- c** *cipher*
Selects the cipher to use for encrypting the data transfer. This option is directly passed to `ssh(1)`.
- F** *ssh_config*
Specifies an alternative per-user configuration file for **ssh**. This option is directly passed to `ssh(1)`.
- i** *identity_file*
Selects the file from which the identity (private key) for public key authentication is read. This option is directly passed to `ssh(1)`.
- J** *destination*
Connect to the target host by first making an **scp** connection to the jump host described by *destination* and then establishing a TCP forwarding to the ultimate destination from there. Multiple jump hops may be specified separated by comma characters. This is a shortcut to specify a **ProxyJump** configuration directive. This option is directly passed to `ssh(1)`.
- l** *limit*
Limits the used bandwidth, specified in Kbit/s.
- o** *ssh_option*
Can be used to pass options to **ssh** in the format used in `ssh_config(5)`. This is useful for specifying options for which there is no separate **scp** command-line flag. For full details of the options listed below, and their possible values, see `ssh_config(5)`.

AddressFamily
BatchMode
BindAddress
BindInterface
CanonicalDomains
CanonicalizeFallbackLocal
CanonicalizeHostname
CanonicalizeMaxDots
CanonicalizePermittedCNAMEs
CASignatureAlgorithms
CertificateFile
ChallengeResponseAuthentication
CheckHostIP
Ciphers
Compression
ConnectionAttempts
ConnectTimeout
ControlMaster
ControlPath
ControlPersist
GlobalKnownHostsFile
GSSAPIAuthentication
GSSAPIDelegateCredentials
HashKnownHosts
Host
HostbasedAuthentication
HostbasedKeyTypes
HostKeyAlgorithms
HostKeyAlias
Hostname
IdentitiesOnly
IdentityAgent
IdentityFile
IPQoS
KbdInteractiveAuthentication
KbdInteractiveDevices
KexAlgorithms
LogLevel
MACs
NoHostAuthenticationForLocalhost
NumberOfPasswordPrompts
PasswordAuthentication
PKCS11Provider
Port
PreferredAuthentications
ProxyCommand
ProxyJump
PubkeyAcceptedKeyTypes
PubkeyAuthentication

RekeyLimit
 SendEnv
 ServerAliveInterval
 ServerAliveCountMax
 SetEnv
 StrictHostKeyChecking
 TCPKeepAlive
 UpdateHostKeys
 User
 UserKnownHostsFile
 VerifyHostKeyDNS

- P** *port*
 Specifies the port to connect to on the remote host. Note that this option is written with a capital ‘P’, because **-p** is already reserved for preserving the times and modes of the file.
- p**
 Preserves modification times, access times, and modes from the original file.
- q**
 Quiet mode: disables the progress meter as well as warning and diagnostic messages from `ssh(1)`.
- r**
 Recursively copy entire directories. Note that **scp** follows symbolic links encountered in the tree traversal.
- S** *program*
 Name of *program* to use for the encrypted connection. The program must understand `ssh(1)` options.
- T**
 Disable strict filename checking. By default when copying files from a remote host to a local directory **scp** checks that the received filenames match those requested on the command-line to prevent the remote end from sending unexpected or unwanted files. Because of differences in how various operating systems and shells interpret filename wildcards, these checks may cause wanted files to be rejected. This option disables these checks at the expense of fully trusting that the server will not send unexpected filenames.
- v**
 Verbose mode. Causes **scp** and `ssh(1)` to print debugging messages about their progress. This is helpful in debugging connection, authentication, and configuration problems.

EXIT STATUS

The **scp** utility exits 0 on success, and >0 if an error occurs.

SEE ALSO

`sftp(1)`, `ssh(1)`, `ssh-add(1)`, `ssh-agent(1)`, `ssh-keygen(1)`, `ssh_config(5)`, `sshd(8)`

HISTORY

scp is based on the `rcp` program in BSD source code from the Regents of the University of California.

AUTHORS

Timo Rinne <tri@iki.fi>
 Tatu Ylonen <ylo@cs.hut.fi>