

**NAME**

scsi\_stop – stop (spin down) one or more SCSI disks

**SYNOPSIS**

**scsi\_stop** [*--help*] [*--verbose*] [*--wait*] *DEVICE* [*DEVICE*]\*

**DESCRIPTION**

This bash shell script calls the *sg\_start* utility on each given *DEVICE*. The purpose is to spin down (stop) each given *DEVICE*.

**OPTIONS**

Arguments to long options are mandatory for short options as well.

**-h, --help**

print out the usage message then exit.

**-v, --verbose**

increase level of verbosity.

**-w, --wait**

wait for the spin down (stop) on each given *DEVICE* to complete. The default action is to do each stop in immediate mode.

**NOTES**

The *sg\_start* utility calls the SCSI START STOP UNIT command and can either start (spin up) or stop (spin down) a SCSI disk depending on the given command line options.

**EXIT STATUS**

The exit status of this script is 0 when it is successful. Otherwise the exit status is that of the last *sg\_start* utility called. See the *sg3\_utils(8)* man page.

**AUTHORS**

Written by D. Gilbert

**COPYRIGHT**

Copyright © 2009–2013 Douglas Gilbert

This software is distributed under a FreeBSD license. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

**SEE ALSO**

*sg\_start* (*sg3\_utils*)