

**NAME**

`sem_getvalue` – get the value of a semaphore

**SYNOPSIS**

```
#include <semaphore.h>
```

```
int sem_getvalue(sem_t *sem, int *sval);
```

Link with `-pthread`.

**DESCRIPTION**

`sem_getvalue()` places the current value of the semaphore pointed to *sem* into the integer pointed to by *sval*.

If one or more processes or threads are blocked waiting to lock the semaphore with `sem_wait(3)`, POSIX.1 permits two possibilities for the value returned in *sval*: either 0 is returned; or a negative number whose absolute value is the count of the number of processes and threads currently blocked in `sem_wait(3)`. Linux adopts the former behavior.

**RETURN VALUE**

`sem_getvalue()` returns 0 on success; on error, `-1` is returned and *errno* is set to indicate the error.

**ERRORS****EINVAL**

*sem* is not a valid semaphore.

**ATTRIBUTES**

For an explanation of the terms used in this section, see `attributes(7)`.

Interface	Attribute	Value
<code>sem_getvalue()</code>	Thread safety	MT-Safe

**CONFORMING TO**

POSIX.1-2001, POSIX.1-2008.

**NOTES**

The value of the semaphore may already have changed by the time `sem_getvalue()` returns.

**SEE ALSO**

`sem_post(3)`, `sem_wait(3)`, `sem_overview(7)`

**COLOPHON**

This page is part of release 5.05 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.