

NAME

udisks2.conf – The udisks2 configuration file

DESCRIPTION

The udisks project provides additional functionality via pluggable modules. These plugins can be inserted into the daemon either by D-Bus call **org.freedesktop.UDisks2.Manager.EnableModules()** or by running the udisks daemon with **--force-load-modules** command line option.

It is also possible to configure the modules loading behavior via the configuration file placed at */etc/udisks/udisks2.conf*.

CONFIGURATION FILE

The default configuration file **udisks2.conf** looks like this:

```
[udisks2]
modules=*
modules_load_preference=ondemand

[defaults]
encryption=luks1
```

modules = <string list>

This variable controls what modules should be loaded. It may contain either a comma-separated list of modules to load or a single asterisk which stands for all the modules.

modules_load_preference = ondemand|onstartup

This key tells udisksd when to load the plugins: either at startup or on demand by D-Bus **org.freedesktop.UDisks2.Manager.EnableModules()**.

encryption = luks1|luks2

This variable controls which encryption technology will be used by default when creating an encrypted filesystem.

AUTHOR

<phatina@redhat.com>

BUGS

Please send bug reports to either the distribution bug tracker or the upstream bug tracker at <https://github.com/storaged-project/udisks/issues>.

SEE ALSO

udisks(8), [udisksctl\(1\)](#), umount.udisks2(8)