

**Name**

wkhtmltoimage – html to image converter

**Synopsis**

wkhtmltoimage [OPTIONS]... <input file> <output file>

**Description**

Converts an HTML page into an image,

**General Options**

- allow** <path>  
Allow the file or files from the specified folder to be loaded (repeatable)
- bypass-proxy-for** <value>  
Bypass proxy for host (repeatable)
- cache-dir** <path>  
Web cache directory
- checkbox-checked-svg** <path>  
Use this SVG file when rendering checked checkboxes
- checkbox-svg** <path>  
Use this SVG file when rendering unchecked checkboxes
- cookie** <name> <value>  
Set an additional cookie (repeatable), value should be url encoded.
- cookie-jar** <path>  
Read and write cookies from and to the supplied cookie jar file
- crop-h** <int>  
Set height for cropping
- crop-w** <int>  
Set width for cropping
- crop-x** <int>  
Set x coordinate for cropping
- crop-y** <int>  
Set y coordinate for cropping
- custom-header** <name> <value>  
Set an additional HTTP header (repeatable)
- custom-header-propagation**  
Add HTTP headers specified by --custom-header for each resource request.
- no-custom-header-propagation**  
Do not add HTTP headers specified by --custom-header for each resource request.
- debug-javascript**  
Show javascript debugging output
- no-debug-javascript**  
Do not show javascript debugging output
- encoding** <encoding>  
Set the default text encoding, for input
- H, --extended-help**  
Display more extensive help, detailing less common command switches
- f, --format** <format>  
Output file format

- height** *<int>*  
Set screen height (default is calculated from page content)
- h, --help**  
Display help
- htmldoc**  
Output program html help
- images**  
Do load or print images
- no-images**  
Do not load or print images
- n, --disable-javascript**  
Do not allow web pages to run javascript
- enable-javascript**  
Do allow web pages to run javascript
- javascript-delay** *<msec>*  
Wait some milliseconds for javascript finish
- license**  
Output license information and exit
- load-error-handling** *<handler>*  
Specify how to handle pages that fail to load: abort, ignore or skip
- load-media-error-handling** *<handler>*  
Specify how to handle media files that fail to load: abort, ignore or skip
- disable-local-file-access**  
Do not allowed conversion of a local file to read in other local files, unless explicitly allowed with  
--allow
- enable-local-file-access**  
Allowed conversion of a local file to read in other local files.
- log-level** *<level>*  
Set log level to: none, error, warn or info
- manpage**  
Output program man page
- minimum-font-size** *<int>*  
Minimum font size
- password** *<password>*  
HTTP Authentication password
- disable-plugins**  
Disable installed plugins
- enable-plugins**  
Enable installed plugins (plugins will likely not work)
- post** *<name>* *<value>*  
Add an additional post field (repeatable)
- post-file** *<name>* *<path>*  
Post an additional file (repeatable)
- p, --proxy** *<proxy>*  
Use a proxy
- proxy-hostname-lookup**  
Use the proxy for resolving hostnames
- quality** *<int>*  
Output image quality (between 0 and 100)
- q, --quiet**  
Be less verbose, maintained for backwards compatibility; Same as using --log-level none
- radiobutton-checked-svg** *<path>*  
Use this SVG file when rendering checked radiobuttons

- radiobutton-svg** *<path>*  
Use this SVG file when rendering unchecked radiobuttons
- readme**  
Output program readme
- run-script** *<js>*  
Run this additional javascript after the page is done loading (repeatable)
- ssl-crt-path** *<path>*  
Path to the ssl client cert public key in OpenSSL PEM format, optionally followed by intermediate ca and trusted certs
- ssl-key-password** *<password>*  
Password to ssl client cert private key
- ssl-key-path** *<path>*  
Path to ssl client cert private key in OpenSSL PEM format
- stop-slow-scripts**  
Stop slow running javascripts
- no-stop-slow-scripts**  
Do not Stop slow running javascripts
- user-style-sheet** *<url>*  
Specify a user style sheet, to load with every page
- username** *<username>*  
HTTP Authentication username
- V, --version**  
Output version information and exit
- width** *<int>*  
Set screen width, note that this is used only as a guide line. Use `--disable-smart-width` to make it strict.
- window-status** *<>windowStatus>*  
Wait until window.status is equal to this string before rendering page
- zoom** *<float>*  
Use this zoom factor

## Contact

If you experience bugs or want to request new features please visit <https://github.com/wkhtmltopdf/wkhtmltopdf/issues>

## Authors

Jakob Truelsen	<a href="mailto:antialize@gmail.com">&lt;antialize@gmail.com&gt;</a>
Ashish Kulkarni	<a href="mailto:kulkarni.ashish@gmail.com">&lt;kulkarni.ashish@gmail.com&gt;</a>
Jan Habermann	<a href="mailto:jan@habermann24.com">&lt;jan@habermann24.com&gt;</a>
Pablo Ruiz García	<a href="mailto:pablo.ruiz@gmail.com">&lt;pablo.ruiz@gmail.com&gt;</a>
Trevor North	<a href="mailto:trevor@blubolt.com">&lt;trevor@blubolt.com&gt;</a>
Nate Pinchot	<a href="mailto:nate.pinchot@gmail.com">&lt;nate.pinchot@gmail.com&gt;</a>
pussbb	<a href="mailto:pussbb@gmail.com">&lt;pussbb@gmail.com&gt;</a>
Aaron Stone	<a href="mailto:aaron@serendipity.cx">&lt;aaron@serendipity.cx&gt;</a>
Patrick Widauer	<a href="mailto:a-ctor">@a-ctor</a>
Peter van der Tak	<a href="mailto:pta@ibuildgreen.eu">&lt;pta@ibuildgreen.eu&gt;</a>
Benjamin Sinkula	<a href="mailto:bsinky@gmail.com">&lt;bsinky@gmail.com&gt;</a>
Kasper F. Brandt	<a href="mailto:poizan@poizan.dk">&lt;poizan@poizan.dk&gt;</a>
Michael Nitze	<a href="mailto:michael.nitze@online.de">&lt;michael.nitze@online.de&gt;</a>
Rok Dvojmoc	<a href="mailto:rok.dvojmoc@gmail.com">&lt;rok.dvojmoc@gmail.com&gt;</a>
theirix	<a href="mailto:theirix@gmail.com">&lt;theirix@gmail.com&gt;</a>
Artem Butusov	<a href="mailto:art.sormy@gmail.com">&lt;art.sormy@gmail.com&gt;</a>

Christian Sciberras <uuf6429@gmail.com>  
 Daniel M. Lambea <dmlambea@gmail.com>  
 Douglas Bagnall <douglas@paradise.net.nz>  
 peterrehm <peter.rehm@renvest.de>  
 Renan Gonçalves <renan.saddam@gmail.com>  
 Ruslan Grabovoy <kudgo.test@gmail.com>  
 Sander Kleykens <sander.kleykens@avnu.be>  
 Adam Thorsen <adam.thorsen@gmail.com>  
 Albin Kerouanton <albin.kerouanton@knplabs.com>  
 Alejandro Dubrovsky <alito@organicrobot.com>  
 Arthur Cinader @acinader  
 Benoit Garret <benoit.garret@gmail.com>  
 Bill Kuker <bkuker@billkuker.com>  
 cptjazz <alexander@jesner.eu>  
 daigot <daigot@rayze.com>  
 Destan Sarpkaya @destan  
 Duncan Smart <duncan.smart@gmail.com>  
 Emil Lerch <emil@lerch.org>  
 Erik Hyrkas <erik.hyrkas@thomsonreuters.com>  
 Erling Linde <erlingwl@gmail.com>  
 Fábio C. Barrionuevo da Luz <bnafta@gmail.com>  
 Fr33m1nd <lukion@gmx.de>  
 Frank Groeneveld <frank@frankgroeneveld.nl>  
 Immanuel Häussermann <haeussermann@gmail.com>  
 Jake Petroules <jake.petroules@petroules.com>  
 James Macdonald <james@kingfisher-systems.co.uk>  
 Jason Smith <JasonParallel@gmail.com>  
 John Muccigrosso @Jmuccigr  
 Julien Le Goff <julego@gmail.com>  
 Kay Lukas <kay.lukas@gmail.com>  
 Kurt Revis <krevis@snoize.com>  
 laura @holamon  
 Marc Laporte <marc@laporte.name>  
 Matthew M. Boedicker <matthewm@boedicker.org>  
 Matthieu Bontemps <matthieu.bontemps@gmail.com>  
 Max Sikstrom <max.sikstrom@op5.com>  
 Nolan Neustaeter <github@noolan.ca>  
 Oleg Kostyuk <cub.uanic@gmail.com>  
 Pankaj Jangid <pankaj.jangid@gmail.com>  
 robinbetts <robinbetts@yahoo.com>  
 Sem <spam@esemi.ru>  
 Stefan Weil <sw@weilnetz.de>  
 Stephen Kennedy <sk4425@gmail.com>  
 Steve Shreeve <steve.shreeve@gmail.com>  
 Sven Nierlein <sven@nierlein.org>  
 Tobin Juday <tobinibot@gmail.com>  
 Todd Fisher <todd.fisher@gmail.com>  
 <maxmight@gmail.com>  
 Emmanuel Bouthenot <kolter@openics.org>  
 rainabba  
 Mehdi Abbad  
 Lyes Amazouz  
 Pascal Bach  
 Mário Silva

