



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'wc.1'***

**\$ man wc.1**

WC(1) User Commands WC(1)

NAME

wc - print newline, word, and byte counts for each file

SYNOPSIS

wc [OPTION]... [FILE]...

wc [OPTION]... --files0-from=F

DESCRIPTION

Print newline, word, and byte counts for each FILE, and a total line if more than one FILE is specified. A word is a non-zero-length sequence of characters delimited by white space.

With no FILE, or when FILE is -, read standard input.

The options below may be used to select which counts are printed, always in the following order: newline, word, character, byte, maximum line length.

-c, --bytes

print the byte counts

-m, --chars

print the character counts

-l, --lines

print the newline counts

--files0-from=F

read input from the files specified by NUL-terminated names in file F; If F is - then read names from standard input

-L, --max-line-length

print the maximum display width

-w, --words

print the word counts

--help display this help and exit

--version

output version information and exit

## AUTHOR

Written by Paul Rubin and David MacKenzie.

## REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report any translation bugs to <<https://translationproject.org/team/>>

## COPYRIGHT

Copyright ? 2020 Free Software Foundation, Inc. License GPLv3+: GNU

GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

## SEE ALSO

Full documentation <<https://www.gnu.org/software/coreutils/wc>>

or available locally via: info '(coreutils) wc invocation'

GNU coreutils 8.32

January 2023

WC(1)