

**NAME**

virt-host-validate – validate host virtualization setup

**SYNOPSIS**

**virt-host-validate** [*OPTIONS...*] [*HV-TYPE*]

**DESCRIPTION**

This tool validates that the host is configured in a suitable way to run libvirt hypervisor drivers. If invoked without any arguments it will check support for all hypervisor drivers it is aware of. Optionally it can be given a particular hypervisor type (**qemu**, **lxc** or **bhyve**) to restrict the checks to those relevant for that virtualization technology

**OPTIONS**

**-v, --version**

Display the command version

**-h, --help**

Display the command line help

**-q, --quiet**

Don't display details of individual checks being performed. Only display output if a check does not pass.

**EXIT STATUS**

Upon successful validation, an exit status of 0 will be set. Upon failure a non-zero status will be set.

**AUTHOR**

Daniel P. Berrangé

**BUGS**

Please report all bugs you discover. This should be done via either:

1. the mailing list

*<https://libvirt.org/contact.html>*

2. the bug tracker

*<https://libvirt.org/bugs.html>*

Alternatively, you may report bugs to your software distributor / vendor.

**COPYRIGHT**

Copyright (C) 2012 by Red Hat, Inc.

**LICENSE**

**virt-host-validate** is distributed under the terms of the GNU GPL v2+. This is free software; see the source for copying conditions. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE

**SEE ALSO**

virsh(1), virt-pki-validate(1), virt-xml-validate(1), *<https://libvirt.org/>*